MS
370

1928 | 179 | MSS 61 (HUT)

370

Collegii Sti Augustini
apud Cantuarienses
Liber.

W. Hutchinson

1719

B

Pul: Cornachini

℞. Scammonii resinosi pulverisati ℥ij, Antimonii diaphoretici, Crystallorum ♃ri: āā ℥j. Misce fiatque Pulvis — Dosis, à Scru:pula una ad semidrachmam; diluculo, cum Custodia.

Pulvis Herculeus

℞. Argenti Vivi optimi, flores ♃ris āā ℥j; Misce fiatque per tritu:rationem pulvis Nigerrimum.

Non movet ptyalismum, sed per su:dorem operatur, Vermes necat, ex:hibeturque in Lue Venerea, Scabie inveterata, Ulceribus malignis, Gonorrhœa virulenta, Hydrops &c: in Ulceribus malignis, tam Veneris quam aliis, miscetur cum Unguentis adaptis, & exterius applicatur. Dosis, a scrupula semis ad ℈ij, in Vermibus Puerorum expellendis, datur a grani octo ad viginti, cum gr: ij vel iij, Scammonii.

Pul: ad Diabetem et omnibus fluxibus

℞ Catechu, sem: Hyosciami āā p: æq. fiat pulvis; Dosis a ℈ß ad ℈ij Mane ac Vespere.

Electuarium Stomachic:

℞. Zinziberis apud Indos Conditi con:
:cisi & contusi, ℔j, Catichu florū
℥. ℥^{tis}. āā ℥iiij. Conserva Barbarorū
℥viij.

Ventriculo refrigerato exhibetur
ad varia etiam Stomachi et Ce:
:rebri Vitia emendanda; Vomitū
Nauseam, Cardialgiam, Dolorem
Ventriculi, flatus Hypocondri:
:acum, & Concoctionem laesam,
praestum est Medicamentum.
Dosis, a ʒi ad ʒij, saepe in die.

Vinum Amarum

℞. Limatura Chalyb: ℥iiij
succ: Aurantior N^o. viij Stent
per 24 horas, dein super affund
Vini Albi ℔iiij
Cinamomi Contus: ℥ß.
Cariophyllor: ʒi.
macis ℈iiij.
rad: Gentian: ℥ß Infundentur
per 3 vel 4^{or} dies

S: E: G

Febris Synoch:

℞ Rad: Serpentar: pul: gr: viij.
Theriac: Venet. ʒß
fiat Bol: quintâ quâq: horâ degl=
:utiend:

℞ Aq: Lact: Alexit. ℥x
Vini Alb: ℥vj
Tinct: Croci. in aq: Theriac: ℥iij
pul: e Chel: Canc: Comp: ʒi
Syr: Caryophil: ℥i
M: agitat phiala cap: coch: iiij
in languorib:

℞ Gas Sulphur ℥ij
cap: cochl: dimid: in haustulo
ser: Canarin:, ter vel quatu:
in die.

Applicent. Empl: Epispastic:
quamprimum inter scapulas.

Emet: Potio

℞ Rad: Epicacua: ʒß
Emet: ♁: gr: iij Infundo in
Vin: Alb: ℥ij, filtretur: et
Capiat ante Vinum Chalybeatu
proximum: Contra Diarrhœam.

Vin: Chalyb:

℞. Summit: Absinth: Rom:
Centaur: Min: āā ℥iij.
Sem: Card: Bened: ℥vj.
Rad: Gentian: ℥ij
Limat: Chalyb: Mund: ℥vj.
Macerentur in Aq: Lact: Alex: ℔iij
Sp: Absinth: Comp: ℔i - - - -
Aq: Menthæ lbß — Agitetur
Vas quotidie per dies octo, dein:
:de filtretur, Capiat ℥iij Mane
jejuno stomacho:
C: F: pro: W: H:

Antihistericks

℞ Gum: Amoniac: ℥i
Galban: Castor Russ: āā ʒß.
Sal: Succ: depur ℈i.
Extract: Croc: q: s: fiat: pil:
Sumat ℈i, ter de die, Super:
:bibendo, Seq: C: N. M: H:

℞ Aq: Rutæ ℥vj
Peon: Comp: ℥ij - Tinc:
Croci: Sal: Vol: Ol: āā ʒi. Sy:
Caryoph: ʒi, M: f: Julap: Sumen
in Languoribus.

℞. Gum Amoniac: ℥j
Galban: ℈j.
Aq: Pulg: ℥iij
Cinam: Hord: ℥ij - M: l: a.
Colat.² sumat: C: q. frequenter
M: H:

℞. Decoct: alb: ℔ij add: Rad: Tor:
:mentill. ℥vj. Colat. add: Aq:
Cinamon: fortior ℥j: Sacch: alb:
q: s: M: f: Apozem, pro potu Co:
M: H:

℞. Sp:² Lavend: C: ℥ß
Menthæ.
Tinct: Croc: aa ℥ij - Miß:
Sumat Gut: 20. ad 30. vel 40.
in potu: Com: frequentur
M: H:

℞. Tinct:² Mart: Myns: ℥ij
Castor.
Elix: proprieta: aa ℥j - Mß:
Sumat Gut: 30. in Liq: Apropr
bis de die. M: H:

℞. Pul: Rhabarb: ℈j
Confect: Fracast: s: M: ℈ß
Sy:² de Meconio: q: s: M: f: Bol:
Sumendus hora Somni
M:² H:

℞. Confect: Fracast: s: M: ℥ß.
Aq: Lact: Alexiter: ℥xj.
Paeon: C: ℥ij
Syr: de Meconio: ℥j — f: Mixtura
cujus sumat: Coch: iiij post sin:
:gulas Sedes. —— Mr H:

℞. Rad: Zedoar: Galang: Min:
aa ʒij, Cort: Aurant: Simon:
Cardam: M: aa ʒj, Sumit: Absin
Rom: Mj Aq: Font: bullient: lbj
Colat: depurat: add: Aq: Absint:
Comp: lbß, sumat: Cochlea: 5
vel 6. omni mane, superbibend:
Aq Islingtoniensis. lbß, ad lbj.
Repetitur hor: 5: post merid: cu
haust: 1 vel: alter, earum Aq:
Mr H: ——

℞. Extract: glyziriz:
Gentian: aa ʒiß
rad: Serpentar: Virgin: pul:
croci pul: Gum: Guaici pul
aa ʒß. Spec: hier: picr: ℈i
croci ♂tis aperi: optime pulv:
ʒij, Syr: Zinzib: q: s: f: pil: medi:
:ocres pulvere glyziriz: Consperg
:end. —— Sy H: Cap: 3. Mane et Vesp:

superbibendo ℥iiij sequentur M:

℞ Bacc: Junip: ℥j contus-
Rad: Angelic: Condit: ℥ij
Rosmarini — pij —
flor: Chamo: Mj. bullient: in
Aq: Font: lbj: ad consump: ℥iv
Colet: — sig. H: — 9j:

Stilicidium Dr. Turner

℞ Scamon: sulphurat. Colocynth:
praep: Merc: dulc: pp p: aeq: Tere:
:binth Venet: q: s: ut formetur
Mass pro pilu: ex quibus de:
:glutientur iij. iv. vel v. secund:
vires, ac Operationis Modum,
singulis, vel melius alterni Die:
:bu.- N:B- In Hot, Dry & Hectick
dispositions, you must not be too
busy with this sort of Cathartick,
but rather ye following Method is
much safer

Bolus ☿lii

℞ Calomel: gr xv, Cons: Fracastor:
vel: Rosar: rubr: q: s: M: f: Bol:
hora somni sumend:

Bol: Catharticus

℞ pul: rad: Rhei ʒß – rad Jallap: pul: ℈j. Crem: Tart: ℈ij, vel Tart: vitriol: gr v. ad ℈ß, Elect: Liniti: cum syr Viol: aliquantulum mol: :lefacti q: s: M. f: Bol: Capiat Mane proxim: post Bol: ☿lii vel

Haustus Cathartic:

℞ decoct: Sennæ Gordon: ℥iij – syr: Ros: solut: de Rhamno aa ℥ß, Crem: tart: ʒß – M: f: Haus: leniter purgans – vel – sequen:

Haustus Catharti:

℞ Rad: Rhei tenuiter incis: Fol: Sennæ, aa ʒiß vel ʒij. Tamari: ʒß. sal: Tart: ℈j. Sem: Anis: P. j Aq: Cichor ℥iv. fiat Infusio Calida per Noctem, mane Coletur & adde syr: Rosar: solut: Manna optimæ. aa ℥j. m. fiat potio mane sumenda, usuali Regimine cum hisce omnibus observato.

Pil: Cathart: pro Robustis

℞. pil: ex duob: ʒß ad ℈ij –
Calomela: gr xv – vel ℈j – m: f:
pill: Dos: uno, repetitur alter
:nis diebus octo vel decem vices

Post debitam purgationem
Capiat sequent: Balsamic: Elec

Electuar: Balsamicum

℞ Cons: fruct: Cynosb: balsam.
Copaibæ ana ʒj. Ter: Japon: pp
ʒij. sacch: alb: q: s: ut fiat Elect
solidioris consistentiæ, cujus ex
Cuspide Cultelli, sumat Morsulu
ad Magnitudin: Castaneæ, Mane
ac Vesperi. — And sometimes
I add likewise the pul: Rhei
parum torrefact:; both which
in Weepings meerly of the Semi:
:nals, from a too great Laxity, or
some preceeding Debility from an
Hypercatharsis, are together with a
like quan: of Croc: Mart: Restr: alias
to be added, ye Sugar left out.

Cathartick Bolus's of David Abercromby

℞ Cassia rec: Extr: ℥i. pul: rad: rhei, Crem: tart: aa ʒi. M: f Bol: - vel -

℞ Tereb: Ven: non lota ʒiij, Rhei pul: ʒi, sacch: q: s. Misce.

Dr Harvy thus.

℞ Tereb: non lota ʒiij. Rhei: Elec: pul, a ʒß, ad ʒi. Gum. Guaici a ℈i. ad ʒß, Merc: dul: a ℈ß. ad ℈i. M: F: Bol:, sumendus Mane, et pro Robustis, repetatur Vespere.

But if notwithstanding the repitition of ye purging Medicines, you cannot acquire a good Colour, but the sympto rather improving; You must make Revulsion by Vomiting ye Patient, with a proper dose of the Turpethum Mineral:, repeated at 2 or 3 days distance, once or twice: after wch, according to his Habit (ye Malig: being somw:t abated) some more gentle Cathart: as ye pul: Rhei mixt wth ye Tereb: or Balsamick Medicine {if chusd you might salivate}

And first of the Dysuria or Ardor Urinæ.

For which Cause let ye Patient drink, especially on ye days he does not Purge, & in ye Evenings of those he does, ye Lac Vaccinum cum p: æq: Aq: Font: Coctum, also ye Lac Amygdalinum, or some Emulsion prepard Ex. sem: 4 frig: Maj: cũ sem: papa: & Hyosciam: alb: Edulcorated cum Syr: Papa: rhœad: de Alth: vel de Nymp: or when by reason of ye Pain he is very restless, ye Syr: de Meconio, & a few drops of Sp: Nitr: Dul: in each Draught, A form or two of such a Liquor, may be after this Manner.

℞ Amygd: d: Excortic: Nº vij. sem: 4. fr: Maj: ãa ℥i. contunde, et Gradatim affunde Aq: Hordei (in qua ℥ij. Gum Arabic: incoxerint) lbi ß. Colaturæ adde Aq: Cinamom: hord: ℥ij. sacch: alb: ℥ß, vel Syr de althæa ℥i. M: vel.

℞ Amygd: Dul: ut prius decortic: Nº x. sem Lactucæ & sem: papav: alb: ãa ℥ß, Contusis affunde ut antea Decoct: Hord: et Liquirit: fiatq Emulsio S: A.

In a Draught of either of these, may be dissolved, ℥ß vel ℥i, (omitting yͤ other Syr:) Syr: de Meconio, in the Evening of his purging Days, to dispose him to rest, after yͤ Tumult raised in yͤ Blood by yͤ preceding Cathartick: But these Liquors simply not availing to remove this Complaint; Add ℈i. ʒß, or ℈ij. of the Chrystal: Mineral. in a Draught of yͤ same, wᵗʰ its æqual Wᵗ. of white Sugʳ to be repeated 2 or 3 times a Day; adding farthermore upon occasion (as in the Cordee or Priapism) Sacch: Saturn: gr: v. & in Micturitione dolorifica toti: :dem Camphoræ: Which Remedies ge: :nerally remove yͤ Complaints of this kind. If Great Fluxion & Inflamation attends, as Appears by yͤ Feverish Disor: :der with which they are Affected, it is requisite att such times, but more espe: :cially in Sanguine Constitutions, to emp: :ty their Veins by Bleeding, which wil Cool their Bodies, Abate yͤ Inflamatⁿ: & prevent some Disturbances Given afterwards to yͤ Blood, by yͤ Purging Physick yᵗ is Necessary to follow; It be: :ing also approved by most of yͤ Moderns as a justifiable Practice, tho no by yͤ Anci: :ents.

Excoriations & Chancres

If there be only a simple Excoriat: on ye Glans or Præpuce, a Pledgit of Diapompho: may be sufficient.

But if Ulcerated with Callosity, then Mercur: præcip: rub: sprinkled thereon with a Digestive over it, is proper to Deterge them, After which you need not be overhasty to Cicatrice them, till ye Virulency is purged of & Correc=
=ted by Internals; Least in stifling ye venome here, it should show it self after in other pocky Eruptions, & be=
=come a Confirmed Lues, Again if ye Præcipitate prove insufficient to cor=
=rect ye Virulency, & subdue ye Chancrous Excrescence, you may touch it with Lac sublimat: Corros: or lay on a small pled=
=git expressed from ye same, also a light touch of ye Butyrum Antimonii, or of ye Lunar Caustick, may be sometimes neces=
=sary, But if they still Improve in their Virulency, whilst ye Patient is purged with Mercurials; there is no bet=
=ter Way of making Revulsion than by ex=
hibiting gr. viij. IX. or X, of Turp: Miner: if occasion to repeat the same. 2, or 3-

By which you will find ye Chancre not only to abate of its Malignity, but ye Symptoms of Pain, Cordee or Priapism (if attending) will likewise quickly go off, ye Stillicidium will be lessen'd, & its Malignity also Sub:dued: After which your Purgat: may be repeated att proper Intervals, as well to secure ye Turpeth: from Slaver:ing, as to Carry of any Relicks of ye Venereal Poison, that by reason of the Emetick, may have taken hold of the blood: Of which tho' some good Artists tell us there is no danger, yet should I be best pleased with ye Cure that did not want them, or Restringents either, but only Purging of ye Virus, & thereby Clensing, & after healing with ye Balsamick I have already recommended.

Excrescencies of Various sorts as Verucae Penis, Thymi, Fici, Condy:lomata, &c: A Cinnabarine Suf:fitus always successfull in over:coming those Chancrous Ulcera:tions, either in Men or Women,

(1) Theo: de Mayerne

De Diarrhœa, Dyſenteria & Teneſmo.

De ſingulis hisce ſympto:matis in hoc càpite agi:mus ob cognatam eorundē naturam, et curationem magna ex parte ſimilem.

Indicati:ones Indicationes ſunt, ut hu:morum acrimonia obtun:datur, dolores tollantur, et fluxus ſistatur.

Diæta Victus ſit tenuis, ex hor:deatis, gelatinis, panatellis, &c:. abſtineat a carnibus niſi ſint viſcidæ, ut anima:lium extremitates, & viſcera, ut quoq; a fructibus, eduliis omnibus ſalsis, piperatis, acidis. Utatur vino rubello, aut oligophoro diluto decoc:to ſequente. ℞. aq: chalybeat: ℔v. rad: chin: ℥ij. Coq: ad ℔iiij.

Injiciendo sub finem mastic: pellucid: gr:x. Cola ad usum.
Aqua chalybeata sic prepa:ratur. In aqua fontana ebulliat magna quantitas battiluræ ferri bene prius mundat: & contrit: ad ter:tiæ partis aquæ consump:tionem.

Purgatio. Purgetur cum rhabarb: myrobalan. tamarind. &c. et repetatur octavo quoqß die aut sæpius si opus sit. Aut fiat cum rhab: in subst: et diascord: cum laud: Lond: gr. ß. Aut. ℞ rhabarb: pul. ʒß. cons: ros: rub: cydon. cond: ana ℈ij. Ms: sumat mane per triduum superbibendo haustum jusculi.

Vena-sectio. Si febris sit magna (in Dy:senteria) instituatur V: S: in brachio.

Post Universalia conveni:unt pilulæ sequentes.

Pilulæ. ℞. rad. torment. bistort. ana ʒij.
symph. ʒi. sem. plantag. sophiæ
chirurg. anther. rosar. rub:
ana ʒß. santal. citrin. rub.
lign. Brasil. ana ʒiij. sumach
balaust. ana ʒijß. acac. hy-
=pocist. ana ʒij. Concisa
bulliant in aq: plantag: ros.
ana Q.S, exprime fortiter &
reducatur ad extractum
mollag. unde sume ʒi. oss. hu-
=man. calcinat. C.C. calcin.
ana ʒiß. terr. sigillat. bol.
Armen. ana ʒj. magister.
perlar. corall. ana ℈iv.ß.
laudan. specific. vin. rub. so-
=lut. ℈ij. f. Massa pilularis.
Huic massæ addo aliquando
animam hepatis et crocum
martis corallin. (de quo
postea) ana ʒiß. aut ʒij-
cum syrupo aliquo astrin-
=genti potest fieri Electua-
=rium.

Opii præ:paratio. Opii præparatio hæc est; post sulphuris impuri ex:halationem in clibano dis:solvatur in duabus partibus aceti rosacei fortissimi et una vini Canarini, limpi:dum exprimatur, et a fæci:bus separatum coaguletur.

Crocus Martis Corallinus. Crocus ♂.tis corallinus talis est. ℞ limatur: martis q:v. dissolve in aqua cum sp: vitr:ioli acidissimo; cum opt. spiritu vini præcipitetur, vitriolum uratur ad summā rubedinem.

Electu:arium. Sæpius Electuarium se:quens præscribo. ℞ conser: ros: rub: vet. cydoniat. vet. ana ℥vj. cons: cornor. fruct. cynosbat. ana ℥iij. ecchy:lomatis prunellor. ℥iiij. pul. subtil. rad. tormentil. bistort. symphyt. rhabarb, torrefact. myrobalan. citrin. ana ℥iß. sem: plantag. sophiæ chirurg.

pul. gland. cupul. eorundem, anther. rof. rub. ana ℥vj. terr. Lemn. off. human. calcinat. C.C.C. spod. ana ℥x. gum. arab. tragacanth. mucilag. sem. cydon. inspissat. sang. dracon. an. ℥vj. magister. perlar. corall. cum alum. praecipitat. ana ℥vj. coa=
:gul. lepor. ℥ß. croc. martis corallin. ℥ij. sap. cydon. aut syr. myrtin. q.s. fiat Electa=
:arium, ad cujus singulas uncias adde opii nostr: gr: iiij. Dos. a ℥ij. ad ℥ß. Huic addo aliquando alum. rup. ℥ij.

Clyste=
:res. Injiciantur Clysteres emol=
:lientes, lenientes, et anodyni ex lacte cum theriaca et opio. Aut ex ol. communi aut cremore hordei. si ad=
:sit ulcus, lithargyr. inte=
:grum candefac, extingue

in aceto, teratur in alko:
:ol. & cum ol. lin. aut lacte
capril. aq: fabror. aut hord.
& ol. rosar. f: Clyster. addi
possunt solutiones gumi
tragacanth. et arabic. in
succo plantag. Ad detergen:
:dum adde terebinth. ovi
vitello solut.

℞ fol. plantag: tapsi bar:
:bat. ana Mj. ros. rub. p. iiij.
flor. hyperic. p. iij. sem. cori:
:and: sophiae chirurg: an: ℥ß.
Coq. in lacte. Colaturae ℥x.
adde vitel. ovor. No. ij. Gum.
arab. in aq. plantag. solut.
℥ß. MS. f. Clyster. Addi
potest aliquid balsami
Lucatelli. fieri quoque pos:
:sunt ex jure capitis ovini
cum summitat. hyperic. rad.
tormentill. &c. incoct.

Si Dysenteria multùm ur=
=geat, ℞ rad. cynogloss ℥iij.
hyoscyam. ℥iij. taps. barbat.
totius m. ij. malv. totius m.
iiij. ol. com. rec. ℔iij. Coq.
addend. aq. sperm. ranar. ℔j.
ros. et plantag. ana ℔ß. coq.
ad aquarum consumpt. et
herbarum putrilaginem.
Exprime fortiter, & partis
hujus olei composit. puri=
=oris ℔j. adde mucilag. li=
=quid. sem. psyll. et cydon.
aquis prædictis extract. ℥iv.
vitel. ovor. Nº ij. M. f. Clyst.
Huic addi possunt sal. bu=
=gul. fanicul. prunell. vinc.
pervinc. &c. Unguentum
Comitissæ dissolvi potest
in Clysteribus, vel jusculà
communia, vel medicata

injici, facta cum herbis
vulnerariis & aſtringenti:
:bus cum lacte perlar, et
corall.

Poſsetum. Poſsetum fieri potest
ex vin. rub. ℔ij bulliant,
et adde Lac. rec. ℔j. alum
ʒij, sacch. ℥iiij. cinamom.
bacillum integrum, post
aliquot ebullitiones pars
caſeoſa ſeparetur à lim:
:pida. Mſ. pro duabus
dosibus mane et veſperi
exhibend.

Bolus. Hora ſomni Bolum hu:
:jusmodi præſcribo, præci:
:pue poſt purgans. ℞. conſ.
roſ. rub. antiq. ʒij. conſerv.
alkerm. ℈j. laud. lond. gr.ij.
M.f. Bolus. post Bolum
ſumatur haustus alæ
maciatæ, huic ſæpius addo
diascord. margarit. corall &c.

Specifi:
:ca sim:
:plicio:
:ra. — Specifica sunt sequentia, mucilag. gum. tragacant. et arabic. succo plantag. solut.

= Extractum prunellarum cum omphacio ad consistentiam pilul. Dos. à ℈j. ad ʒß. ante pastus. —

= Clysteres ex lact. ℔j. et vitrioli albi ʒß. —

= Pulvis concharum furno exsiccat. cum cinamom. & nuc. moschat. ad ℨj. in vin. rubr. —

= Malum cydonium cerâ aut cum gummi Arabico reple:
:tum. Bolus ex sacch. sa:
:turn. gr x. croc. mart. ℈j conserv. ros. parum. —

= Sem. plantag. à ℨj. ad ℨij. in vin. rub. —

Pulvis saturni crudus cum nuce mosch. et caryophill. in vin. rub. —

= ℞. croc. mart. ʒj. nuc. Moſch.
℈j. aut ʒß. M.f. ſume ex
ovo ſorbili aliquoties. —

= Vinum Granatorum cum
pulv. panis alb. clibano
exſiccat. —

= Suffitus ex cortice lignoſo
pomorum pineæ. —

= Pulv. cran. human: calcin:
ad ʒj. in vin. rub. —

= Amaranthi flos pulv. vino
ſumpt. Ut quoq. pul. rad.
palm. Christi minoris in aq:
ferrata exhibitus. —

= Vitell. ovorum cum pulv.
nuc. moſchat. —

Cydonia exſiccat. & conciſ.
aq: communi decoct. pro
potu ordinario. —

Pulv. fol. vinc. pervinc. cū
rhabarb. & conſ. roſ. rub..

Taleola carnis bubulæ,
pul. cumin, cinamom, et

oret, conſperſæ, intensè calefactæ et Umbelico, ap=
=plicatæ succeſsivè deplo=
=ratum restaurârunt. —

Ol. comune & vin. Claveti
coquantur ſimul ad vini
conſumpt. ſumatur coch.
unam ſæpius in die. —

Malum cydonium cochi=
=nellâ repletum et torre=
=factum & cū ſaccharo
comestum. —

Aqua quæ lignum petri=
=ficat ad ℔ij. hausta dyſen=
=teriam peſsimi moris ſa=
=navit irritis aliis remediis.

Alvi depoſitio in ignem
luculentum.

℞. ſacch. roſ. ℔j. ocul. canc.
præp. ℥ß. coral. rub. præp.
margarit. præp. ana ℥ij.
mſ. Doſ. coch. j. in haustu
lac. recentis. 6.ta quaq. horâ.

Os ſepiæ tostum et pulveriz cum vin. ſumpt. —

Gelatina cornu cerv. cum ſucco vinc. pervinc. —

Ex creta alba lacte ſoluta et cum farina fabar. ſac:char: & cinam: fiat. pulti:cula. —

[illegible] Ovum recens vacuetur ab albumine, impleatur. ſp: Vini, et per ſe coquatur: Vitellum ſic coctum remedium eſt certiſſimū.

Aqua aſtrin:gens in Diarrhœa

Aqua optima aſtringens in Diarrhœa hæc eſt. viz: ℞ moror. rub. Idæi ſucci vinoſ. ℔iiij. cornor. ℔ij. fol. querc. tenell. plantag. conciſ. ana faſcicul. j. Diſtilla in Balneo: hujus Liquoris diſtillati. ℞ ℔xij. phlegmat. alum. et vitrioli ana ℔j. aq. ſperm. ran. ℔ß.

ſucci cydon. et ribes ana
℥x. Mſ. In liquoris ℥xvj.
diſsolve alum. ʒij. ſacch.
℥iiij. & infund. cinamom.
℥ß. Cola ad Uſum. Doſ.
℥iiij. bis terve in die. —

Aq: mi: :nerales, aut fac: :titiæ.

Aquæ medicatæ multæ,
hîc faciunt, viz. ferrumi:
:natæ, aluminoſæ et nitro:
:ſæ, ut Tunbrigenſes, &c.
aut factitiæ fieri poſ:
:ſunt ex aq. ſtillat: cich:
:or. taraxac. plantag.
&c. cum granis aliquot
animæ hepatis, et aro:
:matizetur cum cinam:
aut coriandr. et dul:
:coretur cum ſyr. corall.
viz. ℞. aquæ ℔j. ani:
:mæ hepat. gr. vj. ſyr: corall.
℥j. Mſ. pro duabus doſibus.

Praxis Indorū. (14.)

Indi fumum zinziberis carbonibus vivis inject. recipiunt per sellam per:forotam, donec sudore perfundantur, et animo liquescere incipiant; de:in lecto calido commit:tuntur, ut sudores promo:veantur, exhibito brodio calido ad vires refocillan:das.

Praxis Hiber:norū.

In Hibernia laminam ferri candentem mag:daleoni sulphuris infi:gunt supposito marmore vel alio lapide laevi, fer:rum liquatum instar cerae fluet in lapidem unà cum sulphure accen:so, cujus flammam folle extinguunt. Ferrum unà cum sulphure terunt

in pollinem, hujus exhi=
=bent ℥i. cum coſ. roſ. rub.
vet. vel diaſcord. bis in
die ad ſex vices, ſuper=
=bibendo aliquid aq. vitæ.
Exhibent quoq. cran. hum.
furno exſiccat. non cal=
=cinat. ſed pulverizat.
ad ℥i. in vehiculo idoneo.

Pulvis Pepti=cus

Postquam morbi violen=
=tia infringitur, conve=
=nit pulvis digestivus
ſequens post ſingulos
partus ad coch. i. ℞. lam^na^
panis alb. vin. malvat.
macerat. et ſiccat. ℥ij.
ſem. aniſ. fœnic. dul. ana
℥ß. cortic. exter. citr. con=
=dit. ſicc. ℥i. corall. rubr.
præparat. margarit. pp.
ana ℥ij. ſuccin. alb. præpa
℥iß. ambr. griſ. ℈i. cinam.
℥ß. ſacch. alb. triplu pondus

F. pulvis ad usum dictum.

Tenes:
:mus.

In Tenesmo præter ea quæ suprà præscribuntur in Diarrhœa et Dysenter. conveniunt Topica, ut Clysteres minimâ quanti:tate, Injectiones, &c.—

Clyster.

℞. mucilag. sem. psyl. cydon. & alth. in aq. tapsi barbat. solan. & chelidon. maj. extract. ℥iiij. lac. vaccin. rec. ℔ß. vitell. ovor. N.º ij. croc. pul. ℈j. diacod. ℥ij. M.f. et injici:antur ℥iij. aut iv. pro vice, et continuatur quã diu potest, et sæpius re:petatur.

Injec:
:tio.

Aut vitellus ovi crudi cum pulv. bol. armen. sub:til. aut cerus. injiceatur per syphonem, et sæpius repetatur. Vel ℞ ungu. popul. ℥ß. ol. cer. stillat.

ʒß. ol. amygd. dulc. hyper-
ic. ana ℥ß. vitell. ovi N. j.
Mſ. pro duabus injectio-
nes.

Suffitus. Convenit quoq. ſuffitus
ex gagate in ſella perfora-
ta.

Fotus. Item Fotus ex chamae-
mel. melilot. tapſ. barbat.
flor. ſambuc. hyperic. ſem.
lin. et foenugraec. aquâ &
lacte coct. quo imbuan-
tur ſpongiae molles, et
foveatur anus.

Aut ℞ aq. plantag. roſ.
ſperm. ranar, ana ℥ij. tapſ.
barbat. ℥iiij. ſacch. ſaturn.
℈j. Mſ. f. Fotus cum ſpon-
giis mollibus uſurpan-
dus.

Linimentum. Litus fiat ex ol. maſ-
tichin. cydon. ana ℥vj. au-
rant. ℥ß. ol. nuc. moſch.
per expreſsio. ℈j Mſ.

Unguentum fieri poteſt ex unguent. popul. ℥vj. butyr. rec. ℥ij. ol. lin. rec ℥iß. opii gr. iiij. Mſ. f. Unguentum quo inungatur pars affecta. —

Cata=plaſma Cataplaſma hujusmodi applicetur ē bombace et renovetur antequam exaruerit.

℞ bulb. lilior. alb. ſub ciner. coct. mic. pan. alb. lacte infuſ. ana ℥ij. caſſ. rec. extrac. ℥j. unguent. popul. & de ſtramonio ana ℥iij. alb. græc. ℥ß. Mſ. f. Cataplaſma.

Pulvis. Intus exhibeatur coch. j. pulv. ſequentis ſextâ quâq: horâ in pinta una lactis rec. mulcti.

℞ ſacch. roſ. ℔j. ocul. ♋ ℥ß. corall. rub. præparat.

margarit. præparat. ana ℥ij. M. f. pulvis ſubtilis ad uſum dictum.

De Fistula in Ano.

Diagno=ſis. Morbus per ſe patet, præcipuè ſi inſtrumentis exploretur ulcus.

Indica=tiones Indicationes ſunt hæ: Sanguinis fluxus ſi adſit ſiſtendus, ulcus ſordidum detergendum, carne replen=dum, per ſiccantia conſo=lidandum, & cicatrix fir=ma eſt procuranda: hu=morum acrimonia obtun=denda, & corpus eſt renu=triendum.

Victus. Quoad victum come=dat parcè, veſcatur uni=co cibo, prunis, paſſulis; bibat cerevisiam modi=

catam. Conveniunt quoq; Emulsiones, amygdalata, hordeata, Pasta regia, panis marcius, gelatinae, lacticinia, sed praecipuè lac asininum ad humorū acrimoniam temperandam.

Purgatio. Purgetur ter diebus alternis hoc modo. ℞ calomel. opt. praeparat. gr. XV. vel XX. diaprun. solutiv. ℥ij. gū arab. ℈i. fol. Aur. N°. 4. Ms. f. Bolus mane sumendus, superbibendo tantillum vin. alb. aut cerevis. medicat. & postea jusculum. Sine ullo dolore operatur, aut sanguinis fluxu.

Clysteres. Injiciantur Clysteres ex vulnerariis & lenientibus; ut quoq; ex astringentibus, ut sanguinis fluxus sistatur; ut in Capite de Diarrhoea, Dysenteria, et Tenesmo, describuntur.

Injecti:
:ones.

Injectiones fiant primo anodynæ, dein detergentes, et denique astringentes & ex:siccantes. Anodynæ supra in Cap. de Tenesmo, &c describuntur. Detergens sit talis.

Inject:
Deter:
:gens.

℞. rasur. guajac. ℥ij. radix caryophyllat. ℥ij. aristol. rot ℥i. fol. sanicul. prunel. vinc. pervinc. veronic. herb. Robert. pilosell. ana m. j. Coq. in aq. fabror. ferrar. ad ℔j. adde sp. vin. ℥iij. musilag. sem. psyll. & cydon. in aq: ros. & plantag. extract. ℥ij. tereb. venet. ℥j. vitell. ovor. no. 2. Ms: f. Injectio. Addi quoque potest mel ros. aut tapsimel.

Tapsimel, de quo hic ser:mo est, nihil aliud est quam mel decoctis vulnerariis addi:tum & despumatum, ubi basis est tapsus barbatus.

Injectio aſtring: (22.)

Injectio aſtringens ſit talis.
℞ ſterc. aſinin. rec. m. ij. aq.
roſ. plantag. ana ℥iij. Infundo
et decoq., iterum addo ſucc.
plantag. ℥iij. ſyr. de papav.
℥ij. gum. arab. in aq. ſperm.
ranar. ſolut. ʒß. f. Injectio
bis in die uſurpand.

Injectio exſiccans.

Aliquando addo phlegmat.
alum. uncias aliquot, ol.
myrrh. per deliq. ʒi. trochiſc.
alb. rhaſ. ʒß. ſacch. ſaturn.
ʒi. vitriol martis ʒß. Ali:
:quando facio ex calce vi:
:va ℥i. in aq. fabror. ferrar.
℔iv. vaſe æneo per hor xij.
macerat. unde ſumo ℔i.
et mucilagines, ovi vitel:
:los, &c. addo.

Aliquando compono ex
aq. calcis & mercurio ſubli.
ſimul commixt. et ſacch.
ſaturn. edulcorat.

Diapho: :retica.

Conveniunt intus Diapho:
:retica, viz. Hartmanni

aut commune, cum pul:
:veribus testaceis et terre:
:is commista, viz. ocul. ☋
magis. perl. bezoar. orient
corall. &c.

Decocta sudorifi:rum.

Persistat. in usu Decocti sudoriferi sequentis ad 20. 30. 40. dies plus minus pro ratione operationis & virium.

℞ rasur. ligni. sanct. rec. et resinos. sarsap. medul:
:los. buxi ana ℥ij. rasur.
quer. rec. rad. caryophyl.
ana ℥iß. rad. taps. barbat.
filipend. scrofular. maj.
ana ℥i. rad. symphyt. maj.
cortic. rad. ononid. ana ℥x.
ras. corn. cerv. rec. dent. e:
:qui marin. ana ℥ß. persi:
:car. maculat. m. ij. prunel.
bugul. sanicul. veron. utri:
:usq; scabios. ana p. iiij. flor.
primul. ver. p. viij. rorism.

p. ij. Matracio indantur, et ſuperaffunde aq. ſequent. ad ſupereminent. iiij. digitor. digere in fimo equino per biduum. Cola pro iiij. doſ. matutin. provocetur ſudor ſuperpoſitis ſtragulis ſine calore externo. —

Aq. ſudo:
:rifica.

Aqua ſudorifica talis eſt, ℞. rad. petaſit. rec. ℔ij. rad. bardan. ℔j. ulmar. card. bened. calend. ana m. viij. ſcord. m. vj. ſummit. anth. beton. ana m. iiij. cort. citr. rec. ℥vj. Incis. & contuſ. affun. cerevis. fort. gallon. iiij. macera in fimo per qua:triduum, et vaſe duplici diſtilla ad uſum.

Poſt quartum quemq. ſudo:rem repetatur bolus purgãs cum mercurio.

Diebus ſudorum, niſi fluat alvus ſubducatur Enemate.

Balneum. Postea (praecipue si tabis sit motus) deveniat ad u=
=sum balnei ex aqua et
lacte cum multo tapso
barbat. ad 4, 6, aut 8. dies
semel in die.

Cerevis: Medica: :ta. Cerevisia medicata fit
hujusmodi. ℞ rasur. lign
sanct. ℥ij. sarsap. ℥vi. rad.
symph. maj. ℥v. cort. rad.
dulcamar. rad. caryophyl.
filic. foemin. scrofular.
maj. filipend. tormentill.
ana ℥iiij. rasur. dentis e=
=qui marin. ebor ana ℥iij.
fol. rec. siccat. bugul. pru=
=nell. scabios. agrimon. pi=
=losell. veronic. utriusq,
sanicul. ana m.ij. nuc. mosc.
per frusta dissect. N.º viij.
cerevis. lupulat. fort. cong.
xij. bulliant in parte cere=
=vis. mox ubi refrixerint,

reliquum addatur cum ſucc. cochlear. ℔. iiij. naſturt. bac:abung. ana ℔. ij. pomor. re:dolent. rec. expreſſ. ℔. vj. fermentatione peractâ lage:nis lapideis indatur pro potu ordinario.

Ad fontem impurum oc:cludendum utiliſsimum est Electuarium ſeq. in cu:jus uſu diu perſistat.

Electu:arium. ℞. conſerv. flor. papav. rhe. ℥i. conſ. ros. rub. ℥ij. pulv. rad. ſymph. maj. ℥ß. rad. ſcrofular. filipend. raſur. dent. equi marin. ana ℥ij. magister. perlar. coral. lap. hæmat. pp. ana ℥ij. ß. ſang. dracon. ℥ij. ſpod. ℥i. gum. arab. ℥iijß. ſyr. coral. q. ſ. f. Electuarium. ℞. hujus ℥ij. terebinth. coctur. indu:rat. croc. martis corall. ana ℈j. M. ſ. f. Bolus mane

ſumendus, ſuperbibendo haustum lactis aſinini, et veſperi horis tribus à cœna; addo aliquando battituram ferri vin. Hiſpanic. extinct. et in porphyrite lævigat. ad ʒij. aut ʒß. aut am:pliùs pro re nata.

ad Callū. Si adsit callositas, con:veniunt pulveres cathæ:retici, ut pulv. Vigonis, æruginis; immo ſtercus humanum ſiccatum, calci:natum, et pulverizat.

Ad Carnem fungoſam. Si adſit caro fungoſa, abſumatur ad fundum alum uſto, Præcipitato per ſe aut cum alum miſ. pedetentim alterutrum pulverem augendo, ol. antimon. unguent. Ægyp:tiac. &c.

Balſamū detergens. Balsamum ad ulcus de:tergendum tale fit.

 præcipuè ſi adſit caro fungoſa.

℞ virid. æris depurat. & ſubtiliſs. pulv. ʒi. vitriol Hoſpac. ʒij. ol. abiet. lin. ana ʒiiij. tereb. venet. gū. elem. ana ʒij. liquefiant gummata cum ol. et ad:=de virid. æs & vitriol. & digere ſuper ciner. tepi:=de per noctem, addendo flor. antimon. mercur. alb. præcipit. ana ʒi. ſal ſaturn. ʒij. Mſ. et lim:=pidum à craſso ſepare:=tur. Huic balſamo addi poteſt balſam ♃ris.

Ad omnia Ulcera putri:=da pulvis ſequens eſt præſtantiſsimus. ℞ ☿rii præcipit. ʒi. vitrioli alb. alum. uſt. ana ʒß. eſcha:=ram facit profundam.

Aut ☉. antimon. cum ☉.
papaver. aut roſ. commiſt
donec ſtanno illitam id
nigreſcere non facit: exe:
:dit carnem putridam
nullo vel ſaltem exiguo
dolore.

Ad Ani prolap:ſum. Inteſtinum rectum pon:
:dere ſuo deorſum tendens
cum dolore, ſuſtentetur
ſpongia molli cum idoneo
ſubligaculo.

Post injectiones ne coa:
:crevetur purulenta mate:
:ria, cannulam interdiu
gestet, cui apprimatur
ſpongia, ne aër ſubeat.

Suffitus quoq; exſiccans
hujusmodi fieri poteſt
post ulceris deterſionem.

Suffitus. ℞. mercur. ℥i. lap. pyrit.
℥vj. mastich. thur. ſandar:
:ac. ara ℥ij. ladan. ℥ij ß.
ſtyrac. calamit. benzoin.

ana ℥ij. gum. guaiac. ℥ß.
f. Alcohol. et cum tere:
:binth. Venet. q. s. f. Troc:
pond. ℥ij. Recipiat fu:
:mum in sella perforata,
dein per embolum in
anum semel in die; pro
euphoria continuetur,
addi potest gum, animæ,
benzoin. &c.

ad sinu: amplian: :dum — Si sinus non satis sit
apertus, aperiatur tu:
:rundis ex medulli sambuc,
vel ex spongiæ cerâ, aut
icthyocollâ imbuta.

Excisio. — Si exulceretur ip:
:sum intestinum rectu
et nullis cedat remediis,
tandem ad excisionem
deveniendum. Nam secun
:dùm Hippocratem, Rec:
:tum intestinum et se:
:cans et resecans, et

confuens ſive ligans, et
urens, et putreſaciens, eti=
=amſi hæc graviſſima eſſe
videantur, nihil læseris.

De Pleuritide.

V:S: Præmiſſâ phlebotomiâ, quæ
in omnibus inflamationibus,
præſertim verò partium
ventrem medium conſtitu=
=entium, est unicum reme=
=dium; ac etiam clystere,
qui morbi decurſu ſæpius
repetendus est, ni alvus
reſpondeat, remedia ſe=
=quentia ſunt mihi ex=
=pertiſſima.

Ol: ſem: Lin: ℞. olei ſemin. lini ſine
igne extract. ℥iij. vel
℥iiij. pro dosi. propinetur

cum aqua ſtillatitia, vel decoct. bardan.

Antimo: Diapho: Antimonium Diapho:=reticum potenter pro:=hibet humorum coagu:=lationem, & jam coagu:=latos diſsipat; unde in:=itio pleuritidis incipi:=ente phlegmone tutò po:=test exhiberi in aquis idoneis, ſcabioſæ, apa:=rines, &c. cùm præſer:=tim manifestâ omni qualitate careat, nec calefaciat. Si ſudor pro:=fluat, bonum; ſin mi:=nùs, etiam operabitur.

Lapis Prunel:=læ. Lapis prunellæ bis ter:=ve in die per biduum aut triduum primis morbi diebus exhibitus, mirabiliter calorem ex:=tinguit, febrem ſedat,

et pleuritidis materiam deducit per urinas.

Stercus equinũ. Stercus equinum recens vino albo dilutum et ex=presſum utiliter multis exhibui, qui post copio=sum sudorem, aliàs despe=ratis rebus convalue=runt.

Haustus. ℞ succi nasturt. aqua. recenter expresſi, sive eti=am nasturtii hortenſis, aceti rosacei ana ℥i. olei olivarum ℥ß. sal. commu. ℈j. mſ. f. haustus.

Oliban: ex pomo. Pomum excavetur et olibano repleatur, atq; operculo proprio tectum coq: in foco igne lento, ut liquatum olibanum fa=cilius posſit penetrare pomi medullam, quæ tan=dem à cortice separata sensim lambendo deglu=

:tiatur. Optimè maturat
lateris apoſtema, ejusq
expectorationem promo:
:vet.

Pulli gal:
:linacei.

Pulli gallinacei junio:
:res per medium fiſſi
applicentur calentes la:
:teri dolenti.

Nota.

.N.B. In ſero acri la:
:tet ſal pungens & mem:
:branam vellicans, unde
dolor; hoc ſerum ſi diver:
:tatur, ſublatâ cauſâ
proculdubio tolletur ef:
:fectus.

Obſerva:
:tio.

Ego Thomas de Vaux
Londini, poſt omnia fac:
:ta quæ Pleuritidi con:
:ferunt irrito labore;
perſeverante lateris do:
:lore intolerabili cum
febre ſumma, &c. parti
ipſi dolenti juſſi appli:
:cari amplum Veſica:

:torium, à quo per plures dies attracta et evacuata ingens seri sive ichoris copia, sublatus dolor, et æger variis morbis attri:tus et moribundus conva:luit.

Mensium Suppres:sio.

Purgatio. Purgetur iterum atque iterum Corpus.

V.S. Mittatur sanguis è brachi:o primò, in corpore ple:thorico, Instante Mensi:um tempore tundatur saphœna. Præsertim verò hirudinibus aperiantur hæmorrhoides: cujus eva:cuationis mirum & prom:ptum sæpius vidi effectū.

pilulæ. Pil. de Aristolochia
(36.) Fernelii efficacissimæ
sunt. ℞ rad. aristol. rot.
℥i. rad. gentian. myrrhæ
elect. ana ℥ij. Aloes, ci:
:namom. ana ℥ß. zinzi.
℥i. Omnia exquisitis:
:sime trita excipian:
:tur ol. amygdal. dulc.
recent. Dosis ℥iß. at
protinus sorbendum
jusculum quo diluan:
:tur.
Vel ℞. rad. aristol. rotu:
℥i. gentian, myrrh. ana
℥ß. flavedinis citri &
aurant. sedulo siccat.
ana ℥ij. croci ℥i. spec.
hier. picr. ℥iß. macis ℈ij.
caryoph. ℈i. cum oxymel.
scillit. f. Massa, pil: Dosis ℈i.

Ad Menſtrua movenda

Materia Medica.

Ariſtol: rot:	Hyſſop.
Dictam Cret.	Crocus.
Rad. Gentia.	Flor. Chamaemel.
Rub: Tinct:	Betonic.
Artemiſia.	Laurus.
Matricaria.	Meliſſa.
Puleg. Regale.	Praſium.
Ruta.	Scordium.
Sabina.	Calaminth.
Gran. Junip:	Sem. Dauci.

Infuſio. Infuſum. ℞ fol. ſabin. mundat. ℥ij. cort. ſaſſafr. rad. gentian. ariſtol. rotun. rub. major ana ℥i. fol. pu:leg. regal. hyſſop. matri:car. ana ℥iſs. rutae, dictā Cretic, ana ʒx. abſynth: vulgar. ʒv. ſem. dauci, baccar lauri recent. bacc. juniper. ana ʒvi. croci ʒi.

vini Rhenani optimi & tenuiſsimi ℔vj. Infunde, cola, exprime pro viij. dosibus, & diebus con:tinuis ſumend. mane jejuno ſtomacho.

Electu: Electuarium. ℞ rad. aristol. rotund. gentian. valerian. rub. tinctor. calam. aromatic. ana ℥ij:ſs. rad. Chelidon. maj. ℥iij. fol. ſicca. puleg. regal. rutæ, dictam. cretic. ma:tricar. calamint. ana ℥ij. flaved. aurant. ℥iſs. croci ℥i. baurac. ℥ſs. ſal. arte:mis. et absynth. ana ℈4. trochiſcor. de myrrha ℥iij. f. omnium pulvis ſubtiliſsim. excipiend. q. s. syr. de artemiſ. f. Electuar. reſervand ad

uſum. Doſis ʒij. vel ʒiij.
ſuperbibend. vini abſinthii.
momentum, ſuperambu-
-lando.

Baurach cum croco, et guttis aliquot olei ſaſſafr: potenter movent menſes.

Peſſus. Peſſus. ℞ troch. de myrrh. ʒij. ſabin. puleg. regal. rut. colocynth. ſcammon. ana ʒi. cyclamin. helleb. utriusq. ana ℈iiij. f. pul. ſubtiliſſimus excipiend. balſamo Peruviano, vel felle bubulo pro Naſcali. Inungatur apex moſchi gr. xij. zibet. gr. vi. ol. ſaſſafr. gr. xij. (Nota mixturam hanc peſſis pluribus ſufficere) Indantur penitiſſimè, et per totam noctem contineantur.

Ad Men: **N.B.** Menses aliquan:
:sium :do non in totum sup:
Dolorem. :primuntur, at parcius
(40.) justo fluunt, idq; summo
cum dolore dum erup:
:turiant. Ad fluxûs
auctionem, dolorisq; pre:
:cautionem, f: sequentia.

Fotus. Biduo ante Mensium eruptionem foveatur hypogastrium ab um:bilico ad pubem fotu menstrua ciente. V.g. ℞ rad. alth. lil. alb. ana ℥ij. rad. aristol. utriusq; gentian. enulæ. rub. tinct. cyclamin. cucum. asinin. ana ℥ij. fol. chamæmel. virid. m. iij. fol. eupa: tor. Mesue, costi hortens. rut. matricar. nepet. artemis. calaminth. pu: :leg. regal. tanacet. ana

m. j. ſabin. m. ij. ſem. lin. ℥ij.
baccar. junip. ana ℥iß. f.
ſacculi duo, quibus decoc:
:tis in aqua & vin. albo
generoſo, additis ℥viij. ace:
:ti ſcillit. f. fotus per
horam integram viciſſim
applicand. mane.

Eo ipſo die quo erum:
:pent, detur mane medica:
:mentum ſeq. Emmenago:
:gon, applicato post aſſum:
:ptionem fotu.

Pilulæ. ℞ trochiſc. de myrrha
℈j. pulv. ſubtiliſſ: ſabin.
℈ß. croc. caſtor. ana gr. v.
Mſ. & cum ſyr. de artemiſ.
form. pil. nº 5. deaurentur,
addendo inter formandu:
ol. cinnamo. gutt. iiij. Cap:
mane, ſuperhausto vin.
abſinth. ~~tantillo~~ hor. 4
ante prandium.

 Potentius. ℞ trochiſc. de
myrrh. ſab. ana ℈j. bau:
:rac. gr XV. ſal. artemiſ.
& coral. ana gr. vij. Cum
ſucc. ſabin. vel rut. f.
maſſa, addendo ol. cinam.
et ſabin. ſtillatit. ana
gutt. iiij. f. Doſis.

Peſſus. Peſſus. ℞ fol. ſiccat.
rut. ſabin. nepet. matri:
:car. tanacet. ana ʒß.
ariſtol. rotund. gentian.
cyclam. bryon. ana ʒiij.
myrrh. aloes ana ʒij. amb:
ʒß. moſchi ℈ß. zibet.
gr. iiij. pulverizentur
ſpecies, addantur odora:
:ta, atq; iſtis farciatur
ſacculus oblongus è
ſyndone pro Peſſo ut
a. e.

Menſium fluor immodicus.

Duo ſint iſtius Curatio:
:nis tempora, alterum
præcautionis, alterum
cohibitionis hæmorrhagiæ.

Ad præ:
:cauti:
:onem.

Ad præcautionem, Ob:
:ſtructa aperi, Corpus
ejusq; varias partes et
regiones κατ᾽ ἐπίκρασιν
evacua. Inſigniter cor:
:robora Ventriculum,
Hepar, Uterum. Ab infe:
:rioribus revelle, Uterū
ſubinde ablue, et ejus
laxitati proſpice. Corpus
nutrito. Intemperiem
variam corrige. Aliàs
impendent Tabes, Hydrops,
Ulcus, et Cancer Uteri.

Victus. (44.)

Victus ſit aperiens, in
omnibus qualitatibus
medius, quarum vitan:
=dus exceſsus. Alimenta
ſunt boni ſucci et fa:
=cilis coctionis. Vitet
ſalsamenta, aromati:
=bus condita, Lacticinia,
fructus ὡραίους, et quæ:
=cunq; ſanguinem vel
exaſpare, vel ſeroſum
reddere valent. Potus
ordinarius eſto Vinum
gilvum, aut Claretum
Gallicum oligophorum
optimè dilutum. Aqua
chalybeata. Infuſio lig:
=ni Nephritici quæ tam
longa ſit donec Aqua co:
=lorem opalinum contrax:
=erit. Vel Cereviſia me:
=dicata ſequens.

Verrissia medicata. ℞ rad. chinæ per tale=
=olas sectæ ℥viij. rad.
dulcamar. ℥vj. serraturæ
quercus recentis ℥iiij. san=
=tallorum omnium ana
℥ij. rasuræ C.C. primar.
recentis, rasur. eboris
et dentis equi marin.
ana ℥iß. foliorum sic=
=corum agrimoniæ sca=
=biosæ, buglæ cum flori=
=bus, hepaticæ, adianti,
polytric. salv. ana m. j.
sem. plantag: ℥iij. nuc.
mosch. ℥i. squamæ ferri
℥xij. Alæ recentis galones
viij. sinatur fieri fer=
=mentatio ad perfectam
depurationem. Liquor
limpidus recondatur la=
=genis lapideis subere ex=
=actissime clausis, quæ

recondantur & reserven:
:tur in cella frigida,
inde depromenda in u:
:sum ordinarium.

Vomitus. Si ventriculum onustu
Patiens senserit, Vomitus
provocetur leniori medi:
:camento, ita ut pituita
per superiora evacuetur
à ventriculo; ad bilem
vero usq. vomitorio tra:
:here, periculosum: hac
potius per inferiora blan
:do Cathartico deturbe:
:tur.

Purgatio. Ante chalybis exhi:
:bitionem purgetur se:
:mel atq. iterum potione
ex infuso sennæ, pulp.
tamarind. rhabarb. mann
syr. rosar. solutiv. cum
agaric. syr. flor. persicor,

Detur potio diebus interpo=
:latis: Intermedio tempore
per 3. aut. 4. dies detur Ju:
:lap. ex tinctur. santalor.
florum violar. cichor. ro:
:sar. veton. rub. extractâ
cum sp. vitriol. in aq. stil:
:latit. lactis & pom. redo:
:lent. Adde syr. moror. ru:
:bi Idaei, julap. Alexand:
:rin. syr. de pomis: detur
bis in die.

Potio. Potio efficax. ℞. fol. sen:
mundator. ℨß. rhabarb. ℨij.
aq. pomorum ℥iiij. vin. Rhe:
:nan. ℥ij. ol. tart. per deliq.
praeparat. gutt. viij. fiat.
infus. per hor. 24. in fri:
:gido Colaturae add. infus.
ros. pallid. ℥j. mann. Calabr.
purif. ℥ß. m. f. potio.

corrigenda gutt. aliquot. ol. vitriol. (à quo tollstur ſapor ſalis tartar.) et aq. cinamo.

Poſsetum purgans.

Poſsetum purgans limpi:dum. ℞. fol. senn. ℥i. rha:barb, inciſ. ʒß. pulpæ ta:marind. ℥iij. ſem. corian. prop. ℥ij. cinam. inter. ℥i. Infund. per hor. 24. in ℥x. vini albi tenuis, vel in frigido, vel ſaltem ad leviſsimum calorem, f. colatura & forti ex:preſsio. bulliant ſeorſim ℥v. lact. vaccin. recenter mulcti, eidem bullienti affund. infuſ. & expreſs. prædict. frigidæ; addan:tur ℥iß. ſacchar. & cum ovi album. f. clarifica:

:tio. Colatura detur in
potu qui erit limpidiſ:
:ſimus, & non ingratus.

Iulapium. Post purgationem de:
:tur per ſex dies Iulap:
ſeq. bis in die longe à
pastibus. ℞ aq. ſtillat.
lactis. & pom. redolent.
ana ℔j. aq: plantag. vin.
rhenan. opt. ana ℔ß. *
ſyr: ex tincturis ℥iiij.
ſyr. corall. ℥ij. aq. cina:
℥ij. Capiat ℥vj. pro doſi.

* ſyr. ex tincturis hic eſt.
℞. roſ. rub. ſelectiſ. ℥j.
flor. violar. à capulo
viridi mundator., flor.
veron. rub. ana ℥ß. ſum:
:mitat. meliſs. p.j. flaved
citri recent. ℥ij. ſantal.
citr. & rubr. contuſ. a ℥iij

ligni aloes. ℥i. aq. rosar.
et pomor. redolent. ana
℥xij. sp: vitriol. q. s. ad
mediocrem aciditatem.
f. in vas. vitr. macerato
in B.M. per hor. 24. ad
tinctur. rubicundiss. ex:
:tractionem: f. per char:
:tam bibulam duplicem
colatur. ℞. sacch: albiss.
℥xvj. coq. cum aq. rosarū
in rosatum in vase ar:
:genteo; removendo ab
igne add. liquoris tincti
℥vj. & fac syrupum, quē
si potentiorem velis, ad:
:de ejusdem liquor. ℥iiij.
ita ut in totum sint e:
:jus ℥x.

Clyster. Toto hoc tempore si
non fluat alvus, vel

ſubducatur Enemate blã:
:do injecto, vel alternis
diebus detur Julap. cath:
:articum ſequens ſatis
gratum:

Julap. ℞. aq. * noſtrae inſtau:
:rantis & pimor. redolent.
ana ℥iiß. aq. fragor. et
ceraſ. ana ℥i. ſucci. fra:
:gor. ceraſ. aut ribes ana
℥vj. ol. ſulph. q. ſ. ad gra:
:tam aciditatem. In his
mixtis macera per noc:
:tem in frigid. flor. viol.
et vetonic. rub. ana p.ij.
fol. ſenn. mundat. minu:
:tim inciſor. ℥ij. mane
f. per chartam colatura
in qua diſſolv. ſyr. viola:
:rems ℥ß. M. f. Julap.

 Pro aq. inſtaurante ſumi
poteſt aqua Capi ſtillatit.

Chalyb. Mox fiat ad Chalybeata
tranſitus, quæ primo in
liquore, deinde in ſubſtan-
:tia exhibeantur.

N.B. Ego in Ventricu-
:li, Lienis, Uteri affecti-
:bus inveteratis & perti-
:nacibus ſæpe vinum
chalybeatum exhibui per
annum integrum felici
ſucceſſu.

In Chalybeatorum uſu
purgetur quarto quoq.
die aliquibus ex purgan-
:tibus prædictis.

☞ * Anima hepatis eſt
chalybeatum præſtantiſ-
:ſimum (medicamentis
aliis miſcendum).

Julap. Iisdem diebus quibus

utatur Chalybe, quocunque
tandem utatur modo, horis
quinque à prandio, tribus
ante levem cœnam, cap.
Julap. seq. ℞. aq. stillat.
lactis vaccin. et pomor.
redolent. ana ℥ij. syr ex
tincturis (præced.) et syr.
coral. ana ℥ß. m. f. Julap.
Perstet in usu remediorũ
Chalybeatorum, per 40. vel
plures dies.

Pulvis digestivus

Pulvis digestivus seq. sit
in usu ordinar. horâ di:
:mid. post singulos pastus.
℞ crustæ panis albi opti:
:mè cocti, in succ. cydon.
ter infus. et siccat. ℥ij.
sem. fœnicul. dulc. et cori:
:and. præp. ana ℥ß. C.C.C.
℥ij. ejusdem primar. remẽ

raſur. eboris & dent. equi marin. ana ℥ij. magiſterii acciduli corallorum, per:larum & ocul. cancr: ana ℥ijß. macis ℨß. ſac:chari roſati triplum pondus omnium. Mſ. f. pulvis ſubtiliſsimus ad uſum.

Lac Aſi:nınum. Tandem (praeſertim per aeſtatis ardores) bibat Lac aſininum cum ſac:charo roſato perlato & corallato, idq cum debito regimine per duos tresve menses.

Externa. Injectiones in uterum detergentes & roboran:tes, ut & fumi corrobo:rantes, item Empl: um:bilico & Lumbis appli

:carda, in uſum trahi poſſunt.

Nec phlebotomia (in plethoricis) omittenda. Hæc autem omnia ad præcautionem.

In parox:yſmo. Ad fluxum in pa:roxyſmo cohibendum, ſequentia maximæ ſunt efficaciæ.

Lapis prunellæ, Crocus Martis corallinus, Tinct: coralli, ſuccus planta:ginis, Clyster ex ſucco ſtercoris Equini vel Aſi:nini; Oſſa human: ad albed. calcinata dentur è ſucco plantag. & aq: ſperm. Ranar. ad ℥i. Ca:taplaſma ab umbilico ad pubem, & ad os ſacrum

ex fuligine camini ex:cepta albumine ovi & pauco aceto Roſaceo. acerrimo. Magisteria perlarum et corallorū, Lapis hæmatites. Bufo ſiccatus collo appenſus, vel lapis ſanguinalis. Narcotica. Venæſectio ex brachio.

Fœminis Liberos gignentibus Regimen & Remedia ſalutaria.

Ad Conceptum Promovendum.

Circa medium à Menſibus intervallum fiant ſequentia.

Post univerſalia, ſcilicet purgat. balneum, &c. Umbilico applicetur Empl. ſequens.

Empl: ℞ gum tacamahac, puriſſ. ℥i. galban. in vino Malvat. diſſolut. traject. et denuo inſpiſſat. ℥ß. pul: ſubtiliſſ. cort. citr. et au:

:rantior. ana ℥i. pulv.
flor. lavend. caryophyl.
ana ℥ß. Mf. & addito pau:
:co oleo nuc. moschat. per
expreſs. f. Empl. cujus
portio extend. in aluta
pro Emplastr. umbili:
:cal. Umbilico autem
indantur zibet. gr. ij.
mosch. gr. j. bombace in:
:voluta.

Suffitus. Ante ingreſsum lecti
utatur ſuffitu ſicco ſe:
:quenti, per horæ ſemi:
:quadrantem. ℞. Ladan.
puriſs. ℥i. benzoin. ℥iß.
ſtyrac. calamit. ℥ß. lig.
aloes ℥ij. lign. Rhod. ju:
:niperin. ſantal. citrin.
ana ℥ij. cort. citr. flor.
Lavendul. ana ℥iß.

caryophyl. cinamom. mac:
ana ℨi. maſtich. oliban.
ana ℨij. gum. anim. balſ.
peruv. ſicc. ana ℨß. f.
omnium pulvis, addendo
carbonis ſalicis ad pondus
omnium.

Naſcale. Post ſuffitum indatur
Naſcale ſeq. per totam
noctem geſtand.

℞ trochiſc. de gallia
moſchat. ℨß. benzoin. pu:
:riſs. ℨj. ladan. ℨvj. pulv.
ſubtiliſs. nepetæ, men:
:taſtr. majoran. ſalv.
rubr. flor. lavendul.
ana ℨij. cortic. aurantii:
& citr: ana ℨiß. coagul.
lepor. ſtercor. ejusdem,
cort. Winteran. ſive coſt.
caryophyl. ciram. a ℨj.

ſ. omnium alkool excipi:
:end. ſ. q. balſam. peruv.
nigr. F. veluti paſta in:
:ſtar maſſ. pilular. cujus
portio ad quantitatem
glandis maj. formâ ob:
:long. includatur ſyndon.
rariſſ. appenso oblongo
filo. F. Naſcale interdum
ut dictum ſit, mane re:
:movendum. A remotio:
:ne autem claudatur u:
:terus ſuperpoſito linteo
calente faſciâ colligato.

Electa: Amoto Naſcali capiat
quotidie (donec menſes
ſupervenerint) Elect:
aphrodiſiaſtic. ſeq. do:
:ſin. viz. inſtar caſtan.
ſuperbibend. vin. Hippo:
:crat. cum ſolo ſacch. et
cinam. parat. hauſtuli,

blandè supràambulando, dilato ad tres horas prandio.

℞. rad. satyrion. condit. myrobalan. emblic. cond. ana ℥j. zinzib. virid. cond. nuc. mosch. cond. ana ℥ß. conf. alkermes ℥j. medul. nuc. indic. recent. ℥ij. cort. citr. & aurant. cond. siccor. ana ℥iiß. cerebel. passer. testicul. gall. siccat. ana N.o 34. pudendi cervi ab animali in Venerem ruente rescissi optimè siccat. ℥iij. renes scincorum N.o 2. non putidos, magister. perl. cum oleo salis prap: ℥ij. baurac. natural. ℥ij. ambr: griß. ℥j. pulv. elect. diambr. ℥ij. Mf. et cum syr. ℥

 vin. Malvat. aut Mala:
:genſ. q. Electuar.

Fluentibus Menſtruis nihil moliatur: Caveat ſedulò à frigore externo.

Si alvus ſit adſtric:
:ta, moveatur Enemate leniente, cui ſemper add. vinum muſcatellinum.

Die à ceſſatione menſiũ ſecundo, deglutiat mane in lecto ovum ſorbile ſequens, ſuperhausto vin. Hippocrat. momento, per totum diem ſe in lect. continend.

Ova. ℞ octo ova gallinæ ga:
:lo junctæ recens poſit. quorum germina ſepa:
:rata nono ovo aliquan:
:tulum coct. indantur,

inſperſis pulv. nuc. moſch. tantillo, ſal. artemiſ. gr. v. et ambr. griſ. gr. iiij.

Utero indatur Naſca=:lo ſuprà præſcrip. cu=:jus apex ungatur mixtu=:râ ex fell. perdic. et gall. ana ℥j. zibet. gr. ß. ambr. griſ. gr. x. moſch. gr. v. per totum diem con=:tin. in utero, et hypogaſ=:trium continuò foveatur pannis calidis.

Cœna ſit parca; com=:edat ſuccum coxæ ver=:vecin. cum ovis portugal. cum ambr. et pauco moſc.

Horis duabus à cœna tradat ſe ſomno remoto Naſcali, & rejectis omni=:bus aliis medicamentis,

emplaſtro, &c. poſt pri:
:mum ſomnum, præmiſ:
:ſâ mariti titillatione
& laſcivis amplexibus
atq; oſculis ad irritan:
:dum Veneris æſtum, co:
:eat. Ne ſejungatur ni:
:mis citò à viro, ſupina
jaceat aliquandiu clau:
:ſis coxis. Mox blandè
ſe convertat in latus
dextrum, atq; iterum
ſomnum capeſſat.

Vir ungat glandem
eodem linimento ex
fellibus, &c.

Si irritus fuerit
primo menſe horum
effectus, ſecundo et ter:
:tio eodem modo repe:
:tantur præſcripta,

usq; dum conceptus fiat.

Tempore Geſtationis agenda.

Victus. Bona ſit Victus Lex: cibi boni ſucci et coctu faciles. Potus ordinarius eſto cereviſia lupulata defæcatiſsima: nonnun:quam hauſtus vini cla:reti oligophori veteris. Rarò utatur potu præ:calido et admodum gene:roſo; multo minus bibat Metheglin Cambric. gene:roſius aut herbis & ſpe:ciebus calidis medicatum, aliquòſve liquores quos Angli aquas calidas vo:cant. Iſta ſanguinem ex:calfaciunt, humores

 acuunt, seq; fluxiles reddunt, unde metuenda in partu haemorrhagia, et post partum febris continua.

Ad Con:ceptum retinen:dum

Conceptus retinetur pulvere seq: Cancri flu:viales vivi in olla vitre:ata post panis extracti:onem clibano immit:tantur (semel vel sae:pius) dum redigi possint in pulverem subtilis:simum: cujus dosis ℥ij mane et sero in cibis.

Ad Nau:seam.

Si debilis ventricu:lus cruditatibus scatens & flatibus turgidulus, vel everri, vel corrobo:rari postulet, conve:niet blanda κάθαρσις semel aut bis in sep:timana cum pil. seq.

quas gravidis milliis ſine ulla noxa, immo ſummo cum levamine exhibui.

Pil: pro gravidi, Riverii.

Pilulæ ℞ gum: ammon: in ſucc: cydon: diſſolut: ℥j. aloes in lacte nutrit: ℥vj. maſtic benzoin: ladan: aa ℥ij. ſal: abſinth: ℈ij. cū mixa aut ſapa cydoniorum. f: Maſſa. Doſi ℈j. imme:diatè ante levem cœnā:.

Pil: ſtomach. Meſuæ ſunt etiam convenien:tiſſ: dūmodo aloë in ſucc: cydonior: diſſolvatur.

℞ aloes ℥vj. maſtic: roſar: rubr: ana ℥ij. cū ſyr: de abſinth: f: Maſſa.

A paſtu cap: aliquid vel cortic: aurant: et citri condit: ſicc: vel pulveris digeſtivi. ſeq:

Pul: Di:geſtivus ℞ cruſt: pan: alb:

ſicciſſ: ℥i. ſemin: aniſ: et fœnic: dul: ana ℨß. ſem: coriand. præp: ℨij. magiſt: perl: et corall: dulc: ana ℨijß. roſ. rubr: ℨiß. cinā: interior: cortic. exterior: citr: & aurant: condit: ſicc: ana ℨij. ambr: griſ: ℨß. ſacchar: cand: qua: :druplum pondus omniū m: f: pul: utend: e cochl: horâ dimid: post ſing: :ulos pastus.

Ad: Ven: :tris: Fiſſurar: proven: :tionem.

Immunis à fiſſu: :ris rugis procuranti: :bus & nimiæ cutis extenſioni ſucceden: :tibus ſervetur Venter Pomato ſeq: quo mane et in ingreſſu lecti venter linatur, ſuperpoſitâ faſciâ artificialiter paratâ ex pelle caninâ.

℞. ped: vervecin: cru: :dos, detractis tantum

pera quam bullientem pi:
:lis, No: 200. Confractis oſ:
:ſibus bulliant in olla
terrea ad putrilaginem
Refrigerato decocto colli:
:gatur ſupernatans pin:
:guedo, quæ ab aqua ſedu
:lò ſeparetur, de qua pin:
:guidine cape ℔ß. ſperma
ceti recent:, olei ſine igne
expreſſi ex amygdal: dulc
ſemen: cucurbit: melon:
et pineol. ana ℥ij. medul
corvin:, ſebi damæ, aux:
:ung: ſuill: recent: ana
℥ij, ceræ granat: ℥ijß.
Liquentur ſimul omnia,
deinde in mortar: marm:
piſtillo buxeo feriend:
agitentur donec f. inſtar
unguent: pomati: addan
:tur aq: roſar: & naphæ
ad odoris gratiam & majorem
albedinem. ſeretur

 in pyxide vitrea ad uſu.

Partu appropinquante.

Noni menſis initio in:
:cipiat paulatim corpus
magis ac magis ante
paſtus exercere: poſtea
verò uſq; ad partus ter:
:minum augeatur ex:
:ercitium mane & veſperi
non tamen ad laſſitu:
:dinem importunam.

Victus. Victus ſit tunc tem:
:poris aperiens, & in juſ:
:culis diluatur tantil:
:lum croci.

Per totum nonum
menſem in ingreſſu &
egreſſu lecti linantur
interius pudendum, os
pubis, & oſſis ſacri cũ
oſſibus Iliorum convex:

:tio, ipſiusq; coccygis regio
linimento emolliente ſeq:
Linim: ℞ bulb: lil: alb: in fruſ
:ta ſect: nº 2. rad: alth:
conciſ: ℥iij. fol: malv: vi:
:rid: m. iij. ſem: lini cont:
℥iß. verm: terreſtr: lotor:
℥iiij. ol: amyg: dul: recent:
extract: q: ſ: ut ſuperna
:tet: 3 digit: Digerant:
omnia in B. vaſe vitreo
per quatriduum: mox
f: forti expreſsio. de
qua cap: ℔j. axung:
suill: recent: pingued:
gallin: recen: ana ℥iij.
ſpermat: ceti, medul:
crurum vituli ℥ij. m: f:
ung:. (inſtar pomati)
bene agitando in mortar:
marmor: Servetur ad
uſum tam ante partum
quàm in ipſo partu.

Incepturis partus doloribus si fieri possit, injiciatur Clyster seq:.

Clyst: ℞ quatuor emollient: ana mj. artemis: mjß. flor: chamaemel: & melilot: ana pij. semin: lini ℥ß. sem: anis: foenicul: ana ℥ij. f: omnium decoctio in jure capit. arietin. Cap: de colatur. ℔j. in qua dissolv. Cathol: ℥j. sacch: alb: ℥ij. butyr: recent: ol: violac. vel amygd: dul: ana ℥iß: vitel: ovor: n:o 2. Misc. f. Enema. Hoc reme:dio evacuabitur Intestinum, fiet foetui via, dissipabuntur flatus, & partes lu:bricae ac molles redden:tur.

In ipso Partu

Parturi:entis si:tus. } Invadentibus doloribus

primis quantum poterit ambulet, & premente dolo:
:re ſtet ad cathedram, vel
nexis ad robuſtarum famu:
:larum collum & humeros
brachiis, nitendo veluti e:
:geſtura faeces alvi, adju:
:vet foetûs naſciturientis
conatum. Mox ambulet;
nec ad ſedile perforatum
veniat, ſedeatve niſi a:
:perto utero, & capite foe:
:tus jam coronam oſten:
:tante, ipſaq; oſſa diducen:
:te: ſic enim & facilior
erit & brevior labor par:
:tûs.

Victus Parentur jus Capi, Vi:
:tuli, Vervecis, additis
paſſulis, calendulâ, thymo,
saturejâ, artemiſiâ, croco,
& ſi longior ſit labor par:
:tûs, vires iſto alimento
refocillentur. Vel fiat

 brodium (Chaudeau, Caudle) ex Vino Rhenano, ovis, cinamomo, ſaccharo, ad:dità, ſi lubet, paucâ aquâ.

Fœtum & ſecun:dinam expellen:tia. — Reſtitante fœtu, & ve:neſcentibus partûs dolo:ribus, dentur remedia fœtum expellentia.

R. artemiſ: m. j rut: p. j. ſabin: ℥i. f. decoctio in vino Rhenano, in colatu:ra redacta ad ℥iij. diſ:ſolv: pulv: off: dactylorū & bauracis ana ℥i. vin: Hiſpan: ℥ſs. m: f: Hauſtus.

Aut dentur trochiſc: de myrrha ad ℥i. cum aq: artemiſ: & e rad: bryon:

In radicibus dictam:ni Cretici albis, quæ in pulverem redactæ iride referunt, & in baurace maxima vis ad promo:vendum partum. Baurax innoxiè datur ad ℥ij.

In Italia datur ☿ᵘˢ crudus ad facilitandum partum.

℞ aq: lil: alb: ℥v. ſacchari ℥ß. croci pulverizat. ℈j. ſabin: ℥ß. mſ. f. hauſtus

Oleum ſem: napi vetuſ=tate albidum, ſumptum cum aqua puleg: regalis conceptus falſos, molas, &c. excludit.

Eadem remedia ſe=cundinam morantem expellent.

Sit ſedula obſtetr=ix patienter tempus debitum expectans, non temeraria nec feſtinan=tior æquo.

Post Partum.

Ad Tor=mina.

Pulvis ad Tormina ſeq=uens exhibeatur imme=

 :diatè post partum.
℞ rad: consolid: maj: ℥i.
nucleor: persic: nuc: mosch:
ana ℈ij. ſuccini ʒß. ambr:
griſ. ℈ß. f. pulvis de quo
capiat ʒj. ex Vino albo.
N.B. ſi in primo partu ex:
:hibeatur mulieri, nun:
:quam patietur tormina
in partubus ſequentibus;
ſi in aliis, imminuet.
Tormina praecave:
:buntur ſi poſtridie par:
:tûs ventriculo vacuo ex:
:hibeantur ℥ij. ol: amygd:
dulc: recent: extrac: ſine
igne, addito ſacch: cand:
in vin: Rhenan:. Idem re:
:medium minori quanti:
:tate utiliter repetetur
diebus ſubſeq., quo etiam
promovebuntur lochia, &
alvus libera ſervabitur.

Tormina à partu mirè se:
:dat enema ex decoct:
chamaemel: anisi, anethi,
cumini, cui addatur par
dimidia vini muscatellini
cum vitello ovi.

Ad mam: :mar: dolorē.

℞ cerae novae ℥ij. ol:
nucum: olei sem: napi dis
:tillat: vel potius expres:
℥ss. liquetur primò cera,
dein: add: ol: & f: tela
intingendo: applicetur
justae magnitudinis.

Ad Lac fugandū

Per hor: 12. à partu
Mammae saltem tegendae
sunt & fovendae calidis
donec omnia resederint,
& quieverit commotio uni
:versalis totius corporis
quae fit in partu: post:
:ea applicanda mammis
sequentia, si Lac fugare
studuerū.

(78.) ℞ ceræ novæ, mell. comu:
crud: ana ℥iiij. ol: rosat:
butyri recentis ana ℥i. succ:
salv: & chærephyll: q.s.f.
mixtura extend: super
umbonibus ex canabe
optimè consutis: f. em:
:brocat: ex ol: ros. & aceto
ante applicationem: me:
:dicamentum calidè ap:
:plicetur, tegatur linteis
calidis, neq; ante nonum
diem removeatur.

Vel extenuantur
mammæ Terebinthinâ
lotâ in aq: ros: & agitat:
cum ovorum vitellis,
croco et farinâ.

Cataplasmate ex
napis & oleo rosato fug:
:tur lac.

Empl: Diachylon ...
prodest, in Empl: form:
applicat.

Lac ex mammis citò fu:
:gant folia nucum virid.
ſi cum iis bis in die
mammæ tegantur.

℞. cimar: ſambuc:
ſalv: menth ana m.j. Coq:
ad mollitiem, pistentur
pro cataplaſmate mam:
:mis imponendo.

Ad Lac:
:tis coa:
:gulati:
:onem.

Ad lactis coagulati
:onem applicentur
ſequentia. ℞ fol: apii,
cicutæ, vincæ pervin:
:cæ, buxi, chærephyll:
ana m.j. bulliant in
aceto acerrimo, deinde
f. colatura.

℞. ol: roſar: liliacei
amygd: dul: ana ℥j. acet:
prædict: (in quo litharg:
auri percoctum fuerit)
℥iij. m.f. & agita in mor:
:tar: marmor: ad linimentu

addendo camph: in parte olei diſsolut: ℈j. & ſub finem, cerati albi re:frigerantis Galeni, un:guent: Roſar: Meſuæ an ℥iß. mſ. & applicetur parti tumenti & duræ.

N.B. Camphora duris tu:moribus dolentibus & inflammatis applicata, dolorem auget, & prop:terea nē applicetur in principio, vel augmen:to, ſed in fine ſtatus & declinatione.

Flores fabarum coq: cum butyro recenti, un:gantur mammæ. ſerva:ri potest in annum.

Ad pa:pillarū fiſſuras In papillarum fiſſu:ris ℞ pingued: ex ſem:min: cornorum in aqua

coctis ſupernatantis
(Anglicè Piece=Greaſe,
Gallis ſurpoint,) q:v: Li:
:quefiat ſæpius, & abluan:
:tur aquâ roſarum ad co:
:loris & odoris mutatio:
:nem, &, inſtar pomatæ;
illinantur papillæ, cito
ſiccat & cicatrizat.

Ad hæ:
:morrha:
:giam.

Post partum ſi magna
ſuccedat hæmorrhagia,
occurrendum revulſione
per ligaturas brachioru
cucurbitulas appoſitas,
ſub mammis, exhibitione
lap: prunel: in aq: plant:
vel in aq: hord: applicati:
:onem emplastri aut
cataplasmatis ex argilla,
ſucco plantag: aceto forti
ad regionem lumborum.
Removeatur ceſsante pe:
:riculo, ne noceat lochioru

 expurgationi. Si nihil nimis, committatur Naturæ negotium.

Pudendo applicetur illico post partum ol: hyperic: cum vitel: ov: è bombace.

Postea primæ ab:lutiones fluentibus lochiis f: cum salvia & chærephyllo coctis in vino albo & aqua: deinde progressu tem:poris administrentur detergentia & tandem adstringentia.

Ad Lochia promovenda. --- Fotus ad lochia pro:movenda. ℞ rad: aris:toloch: utriusq; enul: bryon: ana ℥ij. fol: rut: artemis: salv: majoran: matricar: puleg: cala:mint: origani, nepetæ ana m. ſs. sabin: m. ij.

chamomel: totius miij. flor
roriſmar: cum ſummita:
ſtœchad: utriuſq. lavend:
ana piij. ſem: aniſ: fœ:
:nic: ana ℥i. cort: auran:
℥ij. caryoph: ℥i. ſem: lin:
℥ijß. f. decoct: in 2. par:
aq: & una Vini Hiſpan:
ſub finem addendi.

Siquid reſtet ex
Secundina, extrahatur
manibus Obſtetricis,
vel eluatur injectioni:
:bus factis in uterum
ex aq: hordei cui incox:
:erint pulegium, matri:
:car: caprifolium, cha:
:mæmel: abſinthium, ad:
:dito vino Hiſpanico &
melle roſaceo & mercuri:
:ali.

Ad alvi aſtric:tionem.

Aſtricta alvus alter:
:nis diebus ſolvatur Ene:
:mate emolliente ex jure

(84.) capitis verveeini, addi:
:tis hyſtericis.

Victus. Ante quintum diem vel ſeptimum carni:
:bus nè veſcatur, ſed ſolis juſculis alteratis hyſſopo, thymo; gelatinâ cum croco modico; pa:
:natellâ liquidiuſculâ.

Ad hæ:
:morrhoï:
:das.... Si hæmorrhoides ſæviant, ſequentibus leniri poſſunt.

Cæpe coct: ſub cine:
:ribus, piſtetur cum bu:
:tyro recenti, vitel: unci:
:as ovi & pauco croco, & applicetur.

Vernix quo pictores utuntur, eſt remedium ſingulare in curandis hæmorrhoïdibus tam apertis quàm latentibus.
Debet autem in iſto ver:
:nice pannus lineus

madefieri & admoveri.

℞ rad: chelidon: min: tusæ q: s: cremoris lact: vaccin: q: s: Agita simul & f: cataplasma.

℞ ol: sem: lin: ℥j. opiū ℈j. unguent: f: in mortar: plumb:.

Alb: Græcum cum ol: rosac: in mortar: plumb: agitat: efficax est remedium.

Pulvis subtilissim:us rubiginis ferri cū succo tapsi barbati applicetur.

N.B. Si natus Infans de:bilis fuerit, percutian:tur nates & plantæ pe:dum. Ori autem inda:tur talbola Cepæ, quod est præsens remedium excitans.

De Fluore albo.

Vix à solo Utero pro:
:cedit tanta colluviei
serosæ jugis effluxus,
sed liquidum istud ex:
:cretum secedit à toto
venoso genere: Ideo sic:
:candi, absorbendi & di:
:vertendi scopis, max:
:ima & continua est
habenda ratio.

Nota. Hoc symptoma, quem:
:admodum Gonorrhoeam,
præsertim virulentam,
potiùs detergendo quam
astringendo averrunca:
:re soleo; et sane tutior
est via, ne præsidio in:
:clusus hostis deinceps fe:
:rociat, & ulcus faciat

in renibus, vesica, ute=
=ro, in quo ſæpe Cancer
hac de cauſa generatur.

Humoris evacuatio & diverſio

Ad peccantis ma=
=teriæ evacuationem
& diverſionem facit,
(1.) Vomitus ſæpius pro=
=vocatus; aliquando, rarò
tamen, per validiora Emet=
=ica, ut ſunt Antimonia=
=lia. Vitriolum album
aſtrictione roborat, & vil=
=los ventriculi firmat,
neq; impetuosè movet per
inferiora, ut ſæpius An=
=timonio contingit. (2.)
Sudoris provocatio per
diaphoretica potens eſt
revulſivum. (3.) Per vias
urinæ evacuatio electi=
=va peccantis materiæ
maximi eſt ad derivati=
=onem momenti. (4.) Cau=
=teria etſi laudentur

à plurimis, tamen non
ſunt adeò inſignes effec:
:tûs, niſi manifesta fi:
:at à Capite defluxio:
tunc applicentur collo,
humeris, brachiis. Vel
ruentis in Uterum ichor:
:ris quaeratur diverti:
:culum & declive emiſ:
:ſarium: Et tunc inter:
:nis coxis quatuor di:
:gitis ſupra genua inu:
:rantur. (5.) Purgatio
etiam hîc locum ha:
:bet, per quam duca:
:tur ſatis potenter te:
:nuis humor, idq ſaepi:
:us repetitis vicibus.

Quod ad medicamen:
:torum ſtadium decur:
:rendum attinet, conve:
:nientiſſimus erit ordo
ſequens.

Vomitus. Quemadmodum mor:
:borum ferè omnium lon
:giſsimorum primus est
focus in ventriculo, ſic
primarium illud est in
eorum curatione, ut u:
:niverſo corpori proſpi:
:ciens culina primò e:
:verratur, & ſuperflui:
:tatum collexio quotidi:
:ana penè inevitabilis di
:ligentiſsimè præcavea:
:tur. Facilè vomentium
ſors fœlix est, quippe
per iſtam evacuationem
antecedentium cauſarum
incrementum anteverti:
:tur, earumq; in conjunc
:tas impeditur tranſitus.

Purgatio. Sequatur Vomitum
purgatio, quæ abſolutè
neceſſaria est. (etiam ſæ:
:pius repetita) antequam
ad detergentia & ſudorif

:ca fiat tranſitus, quæ im:
:mediatè Cathacticis de:
:bent ſuccedere.

Purgantium formulæ.

Bolus. ℞. Terebinth: Venet:
aq: roſar: ad albed: lot:
ʒij. pulv: rad: petroſel:
glycyrrh: & rhabarb: aā:
ϑj. camph: gr: iij. m: f.
bolus ſumend: e cochl:
cum ſyr: violar: hor: 4.
ante prandium quatuor
matutinis conſequenti:
:bus.

Pillulæ. ℞, maſs pil: coch: m:
ϑj. pulver: calomel: gr:
xv. ol: aniſi gutt: ij. m:
f. doſis ſumend: post bo:
:lus dict: Pil: hæ ſæpi:
:ùs repetantur prout
vires ferant.

Simpli:
:cia
purgan:
:tia.

Hydragoga fluori
huic conveniunt: viz.
mechoacan. Jalap: ejusq.
reſina, ſcammonii reſin:

Elaterium alliis cathartiIcis, ut pil: aggregativis, permistum ad granum unum & alterum; Iris florent: ad ℥j. cum resin: jalap: gr: vij. ad x. aut resinæ scammon: gr: v. sem: Ebuli, Gambogiä, &c. Observando semper, ut die purgationis circa horam somni cardiacum aliquod ex confectione alkerm: lap: bezoar: magister: perl: & corall: exhibeatur.

Notatu dignum est in hoc affectu tantam haberi debere seri rationem (quippe cujus copia in venoso genere fluctuans, morbum fovet) ut ei evacuando strenuè sit incumbendum.

Aq: Minerales. } Corpore probè per

 ſedem purgato, utiliſ:
:ſimæ ſunt ad everren:
:dum & roborandum
aquæ Minerales ferri &
vitrioli virtutibus tur:
:gentes, quales ſunt
Tunbrigenſes; quæ ſi
deſint, licebit ejuſ:
:modi arte parare. In
corpore pituitoſo, ubi
magis ſiccandum, aquæ
Thermales ſulphureæ
bibantur.

Diure: } Diureticorum hic
:tica.. } locus eſt, quæ ſint hu:
:juſmodi.

℞. raphan: per talsol:
ſect: ℔j. ſacchar: cand:
℥iiij. cryſtal: mineral: ℥ij
Miſceantur in paropſi:
:de argentea, & excipia:
:tur liquor ad uſum.

N.B. Hic liquor valdè fæ:
:tet, præſertim cum
nitro: Ideo vel detur

recens, vel ſine nitro, nè nauſeam moveat.

℞ rad: apii recent: ℥iiij rad: petroſel: taraxac: aſari ana ℥ij. alkekeng: ceraſ: ℥i. Infund: loco te:pido per hor: 24. in ℔ij. ſeri lactis recenter cla:rif deinde f: ebullitio ad ℔ſs. conſumptione. Colat: f: per manicam, in qua diſſolve liquoris prædic:ti ex raphano ℥iiij. M̄ſ: pro 4. doſ: ſumend: bis in die, ſuperambulando, per octiduum Vel ſatius forte fuerit manè tantùm iſ:tud diureticum exhibere in majori quantitate, nè ſi paulo poſt vel inter paſtus detur, coctionem præcipitet, & cruditatibus venas oppleat. Tunc ſatiſ ſi.

 ſit pro duabus doſibus, & addantur tantum ℥ij. liquoris ex raphano.

Dum diuretica exhi:bentur, injiciatur Clys:ter niſi fluat alvus per ſe, quod vix fiet, a:liò diverſo ſero.

Nota, Cum hoc malo ſæpius complicari Go:norrhœam vel ſimpli:cem, vel virulentam; utraq; tractanda erit juxta proprias Indica:tiones detergendo ſtre:nuè & indeſinenter, ſed gradatim quoad gradum virtutis remediorum, & tandem ſiſtendo & aſ:tringendo ſive aſſump:tis ſive injectis.

Sudori:fica... } Detergentibus ſuc:cedant ſudorifica, qui:bus utatur ægra pro

εὐφορίας modo, per ſep:
:tem vel plures dies.
℞ antimon: diaphoret:
Hartman: gr: xij. lap: bezo:
:ar: gr: vij. conſ: flo: veton:
℥j. diaſcord: ℈j. mſ: f: bol:
ſum: mane ſuperhauſto
ſeq: liquore.
℞ aq: ſtillatit: card:
bened: & Mariæ, ſcabioſ:
ulmar: ana ℥j. ſyr: veton:
℥vj. mſ: f: doſis cum gut:
:tis ſex ſp: vitriol: Provo:
:cetur in Lecto ſudor
ſuperpoſitis ſtragulis
atq; (ni aliàs ſatis ma:
:naverit) ad pedes appoſi
:tis lagenis aquâ calidâ
plenis.
Interim victus ſit
parcior, & niſi ritè fluat
alvus, provocetur clyſtere.
Cerviſia } Cerviſia medicata
medicata } diaphoretica talis ſit.
℞ ſarſæ ℥ij. rad: chin:

℥iß. raſ: guaiaci ℥i. ſaſ:
:ſafr: ℥ß. nodorum abie:
:tis reſinoſ: ℥x. rad: pim:
:pinell: & tormentill: ān
℥iiij. ſem: bardan: ℥ij.
ſem: coriand: præp: ℥v.
veronic: mar: & ſanicul:
ſicc: ana m. j. Omnia
contuſa & conciſa craſ:
:ſiuſculè, dividantur un:
:ciatim, ſingulæ unciæ
indantur ſingulis lage:
:nis lapideis ℔ij. capa:
:cibus, affundendo cere:
:viſ: & bene obturando
vaſa. Post infuſionem
ſufficientem bibatur ce:
:revis: pro potu ordinar:
in paſtibus & extra paſ:
:tus.

Vel ℞ ſarſæ ℥xij.
rad: chin: ℥viij. rad: filic:
fæm: ℥xij. rad: aſparag.
fœnicul: ruſci ana ℥iiij.

ſantal: alb: & rubr: ana
℥iij. rad: ſymphyt: maj:
℥vj. raſur: ebor: C: C: den
:tis equi marini ana ℥iſs
ſummit: Archangel: alb:
cum flor: ſophiæ, herni:
:ariæ, lyſimach. purpur
ana m.iiij. piloſel: auri:
:cul: mur: ana m.iij. agri
:mon: ceterach: cuſcutæ,
meliſſ: ana m.ij. nuc: moſ
:chat: ℥ij. ſquamæ ferri
quater in vino Hiſpan:
extinct: & in porphyrit:
lævigat: ℥xv. Sicca om:
:nia, conciſa & contuſa
includantur ſacculo e
tela rara, qui pendeat
in Ale generoſ: galon: X.
ſinatur fieri fermentatiō
ad perfectam uſq; depura:
:tionem. Liquor limpidus
includatur lagenis lapideis,

 quæ apprimè clausæ ser:
:ventur loco subterraneo.

Decoctio: vulnerar: Vel loco diætæ de:
:coctiones vulnerariæ
& siccantes manè su:
:mantur.

℞ rad: chin: ℥ij. fol:
:veronic: maris, alchy:
:mill: buglæ, prunellæ,
pilosell: millefol: agri:
:mon: ana m. j. ras: rubr:
p. ij. santal: citrin: ℥ij.
lign: Rhod: ℥ß. f: decoct:
in q: s: aq: font: chalybeat:
Colaturam clarificatã:
levi cocturâ redige ad
℔ij. pro 4. dos: matutin:
dulcoretur pauco sacchar.
Continuetur hujus usus
per 20 dies,

Victus. Quoad Victum. Cibi
sint boni succi & coctu
faciles, carnes assatæ po:

:tius quàm elixa; panis bene coctus, bene fermen:tatus, sale modicè condi:tus, additis seminibus paucis anisi & coriandri, postridie coctionis saltem comedendus. Vitentur lac:ticinia, sorbitiones mul:tæ, potus largus, fructuum abusus praecipuè ὡραίων. Vitentur etiam pinguia, mellita, saccharata, pisces mucilaginosi et molles; si quos appetat, sumantur durioris carnis, sive ma:rini sive saxatiles. Ab:stineat etiam ab acetari:is, salsis, piperatis.

Exer:citia. } Violenta ne sint exer:citia, quæ lumbos præ:sertim fatigent. Pessima animi pathemata, ira & mœror, cane pejus & an:gue fugiantur.

Sisten-tia -

Quoad ſiſtentia, viden:
:dum ut tempore ido:
:neo exhibeantur, id eſt
ultimo; motus enim eſt
ne à refluxu materiæ
in viſcera, gravius in:
:commodum ſuboriatur,
Hocq; incommodi habent
aſtringentia, quòd ob:
:ſtructiones augent, vel
generant, & alvum a:
:ſtringunt.

In ſiſtentium cenſu
primas tenent ſuccini,
radix ſymphyti maj:
tormentilla, flor: lyſi:
:mach: purpur:, ſanta:
:lum album, camphora
tenuitate valdè penetr:
:ans, & aëreâ atq: igneâ
vi inſigniter ſiccans, &
agens in partes generati:
:onè dicatas, in quibus o:
:dore ſolo ſemen conſu:

:: more perhibetur.

Electu: ℞ Conſ: roſar: rubr:
:aria — ℥iij, Conſ: flor: Nenu:
:phar: utriusq, Lyſimach:
purp: bugloſs: ana ℥j, my:
:robal: condit: cortic: citr:
condit: ana ʒvj, magiſter:
perl: & coral: an ʒß: raſ:
C.C: ʒv, ſucc: alb: prop:
ʒiijß, oſſ: de corde Cervi
ʒj, ſpodii C.C: ad albed:
uſti an: ʒiß, croci ♂tis aper:
ʒij. Mſ: & cum ſyr: cort:
citr: ſ Elect: de quo capi:
:at æger inſtar jugland:
mane & veſperi longe à
paſtu. Vel

℞ Conſ: roſar: rubr:
flor: Lyſimach: purpur:
archangel, alb. vetonic: rubr.
ſalv: an ℥j, Crystal. ♂tis: ʒij,
Mſ. & cum ſyr: Mori: rub:
Idæi & ſapâ cydon: ſ Elect:
de quo capiat à ʒj, ad ʒij.

quotidie mane, super:
:hausto vini albi momen
:to per plures hebdomadas,

Absor: } Quæ absorbendo sis:
:bentia. } :tunt, siccitate pollent
& terreæ sunt substanti:
:æ, viz: bolus, terra sigil.
Lemnia, creta, interior
pars alba & mollis conc:
:harum ostrearum, mater
perlarum, testæ & chelæ
cancrorum, oculi cancri,
ovorum testæ, coral: alb:
(præsertim in fluore al:
:bo, ut rubeus in rubro)
perlæ, C.C.C: ossa omnia
præsertim humana, calci:
:nata ad summam albedi:
:nem.

Crocus Martis corallinus
pag: 4, est summum astrin
:gens in omni fluxu.

Incras: } Sistuntur etiam te:
:santia. } :nuium humorum af:
:fluvia eorundem

incraſſationе ſive congela:
:tione, quæ procuratur
icthyocollâ, gum: tragant:
ſpermate ranarum (non
bufonum) idoneo tempo:
:re collecto & diligenter
exſiccato citra aduſtio:
:nem, ità ut poſſit in
pulverem redigi; albumi:
:ne ovorum itidem de:
:ſiccato: mucilaginibus
ſem: pſyll: cydon: præ:
:ſertim autem nenu:
:pharis, ubi gluten eſt
copioſum. fit gelatina
ex lacte & icthyocol: addi:
:tis pulveribus ſubtiliſſi:
:mis ſantali albi, C:C:C:,
ſpodii; additur parum ſac:
:chari & concinnatur ſer:
:culum non ingratum:

 poterit addi aliquid ci:
:namomi. Est ii: fluore
albo efficax, si bis in die
ad ℥ij ad minus devore:
:tur longè ab alimento.

Pilulæ Spitin:tri. Pilulæ hæ specificæ
sunt, ℞: succin: alb: pp:
santal: alb: an: ℥ß. C:C:C:
ocul: cancro: coral: alb:
nuc: moscat: an: ℥i. gly:
cyrrhiz: Hispan: siccis:
℥i. gum: Anim. camphor:
an: ℥ij. f: omnium pulv:
subtiliss: excipiendus
q: s: terebinth: Venet: f:
massa pillular: sumat
ad pondus ℈i. mane, &
hor: 4. ante prandium,
& in ingressu lecti horis
tribus à levi cœna, super
haustо vini rubri sive
clareti usti cu: sacch: & ci:
:namom:

Aliæ. Vel, ℞. gum: guaiaci animæ, ladan: coloph: :oniæ ana ℥ß. mast: thuris, sandarac: ana ℥iij. succini utriusque ana ℥iij ß. rad: tormentill: bistort: sym: :phyt: maj: filipendul: ana ℥ß. inter ossi sepiæ mandibul: Lucii, magist: perl: & coral: cum ol[eo] ♆[iii]: præcipitat: ana ℥ij ß. CCC ℥vj. coci ♂[tis] astring: ℥x. Camphoræ ℥ij. ambr: gris: ℥i ß, f. omnium pulvis qui excip: s. q: terebin: com: f. massa pilular. Dosis ut supra.

Ista nisi profuerint, & ad narcotica sit deve: :niendum, concinnentur tales pilulæ.

Narco:tica. ℞: gum: guaiac: ℥iij colophon: ℥ß. mastic: ℥ij. * laudan: dysen:teric: nostri ℥ß. cum sapa cydonior: f: massa cap: ℈j. quotidie mane superhausto vini albi tantillo per 10, vel 15. dies.

N:B: Vinum exhibendum ad correctionem opii, ne viz: caput feriat & somnum conciliet.

* Laudanum dysenter: ℞. extrac: opii ℥ijß, extrac: croci ℥j, tinct: coral: ℥j. magist: perl: cor: ♂^tii^ astring: an ℥iij. ambr: gris: benzoin an ℥j. mosc: ℥ß, m: f: massa. Dos: gr: iij, vel iiij.

Externa. Quoad externa ea-
ſunt Cauteria, Inſeſſus,
Suffitus, Metrenchytæ, &
Emplaſtra Lumbis. &c:
De Cauteriis ſuprà dic:
:tum eſt.
Inſeſſus ex hyſtericis
paucis aſtringentibus
et vulnerariis plurimis
parendus eſt.
Suffitus ſiccus. ℞.
maſt: ſandarac: an ℥ij.
ſtyrac: calamit: benzoi:
an ℥j. lign: Rhod: ſantal:
citri: an ʒiij. ladani pur:
:iſsimi ℥iij. carbon: ſa:
:lic: ℥v: Mſ: & cum
mucag: gum: tragacanth:
extrac: in aqua Angelic:
f: avicula Cypriæ inſ:
:tar digiti craſsæ & ob:
:long: incendenda ſ:a:

 Suffitus humidus ex odoratis in sella perfo:
:rata exceptus etiam proderit; ut ex decocto lign: rhod: rasur: junip. styrac: benzoin: in vino albo, addit. caryophyll: nuc: moscat: &c.

Metrenchytum.

℞: cort: med: querc: junc ℥ij. rad: torment: & bist: :ort: an ℥j. sant: citri: & rubr: an ℥j. fol: querci tenell: potentillæ, plan: :taginis, continod: an m j. archangel: alb: m ij. salvi rub: Mß. rosar rub: p. 4. bulliant omnia in aqua fabrorum lb j. ad lb ij. ad:
:dendo post colaturam vin: rubr: vin: muscatel:

ana ℔j. f: injectio bis in
die tepide, ter quatuorve,
quâvis vice. Postea ita:
:tur, idoneo subligaculo.

Emplastrum appli:
:cand: lumbis & ossi sacro
℞. Ladan: puriss: ℥ij. rad:
bistort: ℥j. gum: arab:
lap: hæmatit: battitur:
ferri in aceto prep: ana
℥ß. sang: drac: mastic:
sandarac: ana ℥vj. myr:
:til: ros: rubr: ana ℥iij.
olei glandium, ceræ ana
q: s: ut f: Emplastrum.

De Variolis.

Morbi hujus causæ & sym:ptomata. — Procedit hoc ma:lum à sanguinis

ebullitione, quæ si con:
:tingat: in corpore sano,
Naturâ existente robus:
:tâ, facilis fit ad habi:
:tum humoris morbi:
:fici expulsio, facilius
cita succedit expulsi
concoctio, pustulæ cele:
:riter sua decurrunt
tempora, & sine ullo
pravo symtomate in:
:tra paucos dies Natu:
:ra superato hoste vic:
:trix triumphat. e con:
:trà, si corpus cacochy:
:mum sit, & pravi suc:
:ci heterogenei commis:
:ceantur, internæ ex:
:citantur turbæ, quæ
in singulas partes gra:
:vem deponunt facci:

:nam. Major est malig:
:nitas quando pestilens
est aëris constitutio, &
in vulgus contagiosi
saeviunt morbi, aut Epi:
:demica Papulae istae
grassantur. Tunc perti:
:mescenda sunt gravia
mala, Febris, Vomitus,
Haemorrhagia ingens,
Delirium, Convulsio, Syn:
:cope, Diarrhaea ut plari:
:mum funesta, Angina
ab humoris μεταςάσει,
suffocatio, praesertim
circa morbi statum, pus:
:tulis maturescentibus in:
:flatis, & in ingentem
tumorem sublatis facie
totâ collo, gutture, & an:
:gustatis faucibus,

 licet paulò ante mor:
:tem valdè praecipitem
et utplurimum inex:
:pectatam liberè respi:
:rent, nec difficulter ad:
:modum deglutiant aegri.

Vidi quendam, in quo post casum Variolarum, quibus à capite ad pedes totum corpus scatebat, deciduis primis crustis, factâ novâ ebullitione, eadem pustularum quan:
:titas praecedentibus suc:
:cessit, bonis tamen aegri rebus.

Duo sunt maximè periculosa tempora, in:
:itium eruptionis, quo tempore fiunt Convulsi:
:ones, & alia gravia suc:
:cedunt symptomata:

alterum à nono ad unde:
:cimum quando matureſ:
:cunt puſtulæ. Tunc in:
:flantur caput, fauces
& collum, tumet faciès,
reviviſcit febris, & mul:
:ti materiâ retrocedente
in pulmones, quaſi ful:
:mine icti, ſuffocantur.

Ad præ:cautio:nem

Ad præcautionem in corporibus in qui:
:bus nulla adhuc ap:
:parent morbi ſigna
non neglectâ in pletho:
:rico & ſanguineo ſub:
:jecto phlebotomiâ, in
cacochymo purgatione
blandâ, ſequentia viden:
:tur ope ad uſum.

Victus.

Victus ſit refrige:
:rans, detur juſculum vel
poſſetum alteratum acidis,

 acetoſâ, triplici, oxytri:
:phyllo, berberi, ompha:
:cio uvarum, portulacâ,
limonibus: hisce juscu:
:lis permistum nitrum
crystallinum cum sac:
:charo refrigerabit, &
salem volatilem amono
:niacum, fermentati:
:onis authorem, per vi:
:as urinarias cum loti:
:o deturbabit, item ni:
:trum utiliter permiſ:
:cebitur cerevisiæ pro
potu ordinario propin:
:andæ.

Exerci:
:tia. Exercitia sint val:
:dè moderata neq; fiat
quidquam quod calorem
nativum augeat mutet:
:ve in igneum, aut citra
febrem etiam procuret
in humoribus, excitato

ipſorum ſulphureo, in:
:cendium.

Alvus fluida redd:

Bonum eſt fluidam habere alvum, ut in cor:
:poribus impuris, ſi Va:
:riolæ contingant, im:
:minutâ humorum pu:
:trium & acrium ſarcinâ
Diarrhœa præcaveatur:
idcircò operæ pretium
erit, vel ſubinde alvum
Enemate eluere leniente
ſaltem & blando, vel ter:
:tio quartove quoq; die ſu:
:mere pilular: ſequent
doſin.

℞. maſſ: pil: Ruffi. ſive
peſtilent: ʒij. maſtichin:
fernel: * gran: Angel: ana
ʒj. ſal: card: bened: ℈iiij
M.ſ: & cum ſyr: de cichor: co:
:mp: cum rhab: f: maſſa,
pilular: cujus doſis eſto à
℈j. ad ʒß. vel ℈ij. Dentur
autem vel horæ quadran:

 :te ante levem cœnam;
vel iis quibus motus est,
ne per noctem ſolvatur
alvus, horis 2, post dic:
:tam cœnam.
Quotidie mane detur
ʒß. ℈ij. vel ʒi. robuſti:
:oribus ſeu adultiori:
:bus maſſæ ſeq:.

Pilulæ prophy: :lacticæ
℞. rad: tormentill:
ʒß. bezahar: cervin:
vitriolat: C.C: C anʒij.
coral: rubr: ocul: cancr:
vulgari modo præp: dia:
:margarit: vitriolati
vel nitrati anʒj. cryſt:
acetoſellæ ſylv: & oxy:
:triphyll: ana ℈iij. lap:
bezahar: occident. ʒiß.
f: omnium alkool exci:
:piendum f: q: ſapæ cy:
:doniorum, vel, ſi deſit,
ſyr: de lujula aut de
limon: fiatq: maſſa pil:

ſervanda in vaſe vitreo ad uſum. Superbibatur poſtea tam praeparatum cum acetoſellis dictis, aut ſucc: limonum.

Perſeverent praeca:utionis avidi in hoc re:medio per dies & ſepti:manas, donec tempeſtas iſtius infortunii ferax pertranſierit.

Curatio. Statim ab initio, et etiam ubi ad:eſt magna plethora, quamvis Variolae in:cipiant erumpere, mit:

V:S: :tatur ſanguis è brachio ſi tardè fuerit vocatus Medicus, praeſertim ſi cauſa procatarctica fue:rit calor: à Vino, ab ira à vehementi exercitio, ab Amore, & ſi valdè faci:es rubeat.

(118.) Præmittenda etiam
Purgatio. } purgatio (& cum
Vomitus. } opus Vomitorium)
prout ea poſtulat
artificioſa indicatio.
Speſi: } Duplici via in hoc
:fica. } affectu Medico ip:
:ſum ex arte cura:
:turo eſt procedendum.
Benignius enim malum
leviora tantum poſcit,
quæ efferveſcentiam
ſedent, non neglectâ
tamen eâ, quæ meden:
:tis oculis continuò de:
:bet obverſari, malig:
:nitate, utriq; proſpi:
:cient acida ſeu ve:
:getabilia, ſive ſpiritus
ſalium mineralium,
et ea quæ abſorben:
:do fermentationi re:

:ſiſtunt, qualia ſunt
pulv: chel: cancr: marin
maj: coſte llat: ocul: canc:
ſeu lapides aſtacorum
diamargarit: vitriola:
:tum, ſpir: nitri in eſtr:
:eis coagulat: cryſtalli
acetoſellæ ſylv: et oxy:
:triphyll: quibus utili:
:ter permiſceri poterunt
lap: bez: utreq, C:C: vitri
:olat: idem philoſophicè
calcinatum terra lemn:
Bleſenſis, ſtrigenſis, cæ:
:teräq, iſtiusmodi, quæ
in primis qualitatibus
nullam inſignem habent
exuperantiam.
Sed ubi validi juſ:
:ta eſt veneni ſuſpicio,
tunc etiam validioribus
pugnare convenit, et

 prædictis nunquam o:
:mittentibus fortiora
erunt permiscenda:
qualia sunt lap: et
rad: contrayerv: rad:
pistolochiæ seu vipe:
:rinæ Virginianæ, &c.

Diapho:
:retica. } diaphoretica quæ
ad habitum pel:
:lunt primis diebus
usurpanda, nisi ali:
:quid reclamet, ut ni:
:mius sudor.

℞ viperar: gr: xxx.
C:C:C: ludi humani,
ostracomel: margarit:
ana gr. xij. cochinel gr:
vj. m. f: pul: subtiliss:
pro una dosi.

℞. oss: cord: & hep:
:at: viper: gr: xx. ludi
humani, vel, si desit
brahar: or: restibilis

ab aqua cardiaca, calcis
mollit: matris perlar: vel
cort: ovor: gallinæ Indi:
:cæ vel domesticæ, C:C:C:
ad summam albedinem
sulphurat: vel vitriolat:
ana gr: xij. cochinel gr. 4.
Mſ: pro una dosi: fiat
pastillus cum gelatina
C:C: vitriolat: superbi:
:batur possetum altera:
:tum calendulâ, ficubus,
fol: & cort: maculosæ
betulæ arboris, eclec:
lentibus, scordio, laccâ
è bacillis, erucea, & croco
pauco, idq, usqz ad terti:
:um vel quartum diem
ad summum à primâ
eruptione, blandè excipi:
:endo, non violenter pro:
:vocando sudorem.

Veſica:
:tor.

In magno pericu:
:lo Veſicatoria mag:
:na plura applic:
:entur, v.g: ſupra
humeros unum, ſupra
epomida duo, ſupra
carpos duo, ſupra ge:
:nua, et ſupra mal:
:leolos internos qua:
:tuor. Attrahe ad pe:
:des revellendo à cor:
:de & cerebro colum:
:bi ſolii applicat,
vel ſinapiſmo.

Ad dyſp:
:nœam.

In frequenti,
brevi, & difficili
Reſpiratione non ſi:
:ne ſuffocationis pe:
:riculo, vel ſi in va:
:riolarum maturati:
:one inflammatio in:
:gruat ſumma, aut

tumor Eryſipelatodes
caput occupet, ſine
mora præſens præca:
:veatur periculum ap:
:plicatione hirudinum
ſub auribus ad jugula:
:res venas, aut ranula:
:rum apertione, quæ
venæ ſub lingua ſec:
:tæ aliquando miram
ſanguinis plus æquo ex
:calefacti, & dum impe:
:tius fervet quâ data
porta ruentis, quantita:
:tem, vel ad aliquot li:
:bras, fundunt: (Comitiſ
:ſa Bedfordiæ moribun:
:da ultra ℥xx. Comitiſſa
Carliſle plusquam ℥xij.
fudêre, (præter plures a:
:lios quos, brevitatis cau:
:ſâ, omitto) utraqꝫ poſt:

(124) :quam convaluerat, se huic phlebotomiæ vitam debere confi:
:tebatur) quo in casu
Ad Hæmor:} sistenda hæmor
:rhagiam.} :rhagia oris col:
:lutione cum oxycra:
:to & aq: sperm: ranar,
aut, si desit, ex succ:
plantag: cum aceto &
alumine. Si persevæ:
:ret fluxus, appli:
:candus vulneri pul:
:vis pulvillis excep:
:tus ex ossibus ad albi:
:dinem calcinatis, cre:
:tâ & paucâ calce vivâ.
Utplurimum per se
sistitur sanguis, sed
medicum omnia in
eum præsentem ad ma:
:num habere operæ

pretium duco, atq ce:
:teros meo exemplo,
cui sæpe sæpius oc:
:currit hoc sympto:
:ma, cautos esse mo:
:neo.

Cardia: :ca. } Inter Cardiaca, (quæ etsi circa morbi initia potissi:
:mum valeant, atta:
:men vel eo progres:
:so minimè sunt con:
:temnenda) primas te:
:net antimonium, &
inter innumeras ejus
præparationes pulvis
à Crollio descriptus.

Ad cica: :trices præca: :vendas. } Quod ad faciem, pustulæ primò ma:
:turandæ sunt, dein:
:de post purulentæ
materiæ effusionem

(126) ſiccandæ. Utriq[ue] in:
:tentioni ſequenti ſo:
:leo ſatiſfacere metho:
:do. Ad perfectam uſq[ue]
maturationem emol:
:liente & relaxante
letu ſingulis pene ho:
:ris faciem penicillo
inungo tepidule; lini:
:menti materiam dant
laridum debitè prep:
ol: amygdal: dulc: butyr:
Maial: pinguedo galli:
:næ & anſeris, medulla
pedum vervec: ſperm:
ceti. Turgidula pure
albo, lævi & æquali
exanthemata forfici:
:bus reſeco, & deterſa
adprimè ulcuſcula ex:
:ſiccantibus vel inun:

:go, vel abluo, donec cr:
:uſtæ decidue macula:
:rum rubrarum et
veſtigiorum veſtibili:
:um depulſionem ſua:
:deant.
Siccantia potenti:
:ora vel ſeorſim vel
mixtim uſurpanda
mihi ſunt: creta cum
lactis crem: tr: ſub:
:acta, flor: ſulphuris
ung: pomato excepti,
ung: ex calce extinc:
:tâ & ol: roſ: complete
vel ol: nucum citra
vim ignis expreſſo, vel
etiam laride in lami:
:na candente fuſo, et
aquis coſmeticis ad al:
:bedinem ditiſſimè

 loto. Lotioni apta ſunt aq: calcis tempe:ratior, aq: aluminoſa, Decoct: flor: ♃[ii]. in lacte vel: mulcto, vel lactis cremore tenui præparatum.

Ad maculas lacti virginali vel pomato et axungia ſuilla vel medulla crurum vi:tuli dealbatâ & ſacch. cryſtal: Saturni præ:ſero lac benzoini, quod fit per ejus diſſolutio:nem in optimo vini ſpiritu, ſelectâ ſaltem parte odoratæ reſinæ albâ, quam Itali amyg:dalam vocant. Hujus

diſsolutionis guttæ ali:
:quot aq: nenuphar: flor
fabar: vel alteri coſmé:
:ticæ permiſtæ lac fa:
:ciunt ſuaveolens, ju:
:cundi uſûs, & non con:
:temnendæ utilitatis.

Finis.

Æthiops Mineral:

℞ Mercur: ℥iij. ſulph:
pulv: ℥iij. pone
ſupra ignem, ſemi:
:per movendo uſqz ad
conſumptionem ſul:
:phuris,

Grana Angelica.

℞ fol: betonic: cha:
:mæpit: ana m j. salv:
majoran: ana mß.
menth: meliss ana p ij.
fl: keyri, pæon: sam
:buc: ana p iij. fumit:
absynth: utriusq ana
p j. sem: anis: fænic:
ana ℥ij. bacc: juniper.
℥iij f decoctio. et co:
:latur clarificand: in
qua dissolve aloes zo:
:sat: ℥ij. coagula.
℞: fol: senn: ℥iß.
rhabarb: agaric: ana.

℥ß. Extrahatur tinc:
:tura cum aq: beton:
Expressio addatur ex:
:tracto prædict: coagu
:la, addendo: mastiches
℥ij. macis ℥j. & massa
pilular.

Emplastrum pro Matrice.

℞. gum: tacamah: ℥j.
carann: ℥ß. galban: in
vino Malvat: dissolut:
& inspissat: ℥ij. pulv:
subtiliss: trifol: odorat
& nepet: an ℥ß. Incorpo
:rentur optime add: Bals
peruvi: momento: f: Emp:

~~Aliud~~ — ℞. galb: purg:
℥ij. gum: tacamahac:
& caran: depurat:
an. ℥iij. pul: cumini &
trifol: odorat: (vel
nepetæ) an. ℥j. caryo:
:phyll: nuc: moschat:
an. ʒß. bals: peruvi:
parum: f. Emplastru:

Pul Dentrifiz

Rx Tart Alut ʒj
Sang Drac
Gum Myrh aa ʒß
Gum Lac ʒi
miſ fiat Pulv

Index — folic:

'De Diarrhœa, Dy:
:senteria & Tenesmo — (1.)
'De Fistula in Ano. — (19.)
'De Pleuritide. — (31.)
'Mensium suppress: — (35.)
'Mensium immod: — (43.)
'Ad Conceptum pro: — (57.)
'Tempore Gestationis
agenda. — — — — (65.)
'Partu appropinquan: — (70.)
'In ipso Partu. — — (72.)
'Post Partum. — — (75.)
'De fluore albo — (86.)

De Variolis —

1705